

WEAVER

BOOS

CONSULTANTS

LLC

**GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**

May 8, 2006

Project No. 1894-300-03

Mark D. Erzen, Esq.
Karaganis, White & Magel Ltd.
414 North Orleans Street
Suite 810
Chicago, Illinois

Re: **Fusibond Piping Systems, Inc. Site Assessment**
2615 Curtiss Street
Downers Grove, Illinois

Dear Mr. Erzen:

Weaver Boos Consultants North Central, LLC (Weaver Boos) prepared this letter to briefly summarize our site assessment concerning the property commonly known as Fusibond Piping Systems, Inc. (Fusibond) located at 2615 Curtiss Street within the Ellsworth Industrial Park in Downers Grove, Illinois (the Property) (see **Figure 1**, attached).

Fusibond currently uses the Property to line pipe and pipe fittings with various types of plastics. According to the limited existing historical documentation, the Property was constructed in 1959 and was formerly occupied by Bison Gear. Additionally, based on a prior interpretation of historical aerial photographs, waste storage areas and potential staining appeared to be present under a current building on the east side of the facility.

On April 6 and 12, Weaver Boos completed a reconnaissance of the Property to assess areas of potential environmental concern. During our reconnaissance of the exterior portions of the Property, Weaver Boos observed surficial staining between a storage building and a manufacturing building located east of the main building. Weaver Boos also observed an approximately 15 by 10-foot area immediately adjacent to an overhead door located on the south side of the main building that was void of vegetation.

Based on the historical documentation and our observations, Weaver Boos completed our site assessment consisting of soil and groundwater sampling in an effort to assess the potential

environmental impact the current and/or historical uses have had on the Property. The following sections briefly summarize our environmental site assessment activities performed on April 11, 12, and 14, 2006.

Soil Sampling Methodology and Observations

Weaver Boos advanced 11 soil probes on the Property to depths ranging from 10 to 32 feet below ground surface (bgs) in areas of identified potential sources (see **Figure 2**, attached). Weaver Boos advanced the exterior soil probes using a truck-mounted Geoprobe®, and advanced the interior soil probes using a track-mounted Geoprobe®. It should be noted that two additional soil probes (WBF-5BS and WBF-5CS) were completed on the south side of the main building due to obstructions encountered during drilling. A summary of the GPS-surveyed exterior probe locations is included in **Attachment A**. Photographs documenting our field activities are included in **Attachment B**.

Upon retrieval of soil samples, Weaver Boos visually classified and logged the soil samples collected from the probing activities, and a split sample was placed in a separate sample container for organic vapor screening using a calibrated photoionization detector (PID) equipped with an 11.7 electron-volt lamp. The PID provides a qualitative field measurement of organic constituents contained in the sample. **Attachment C** contains the soil probe logs, which includes the PID readings, for each of the Weaver Boos soil probes. Copies of Weaver Boos' field notes and field logs are included in **Attachment D**.

Based on our observations, the soil at the Property generally consists of approximately 15 feet of silty clay overlying approximately 5 to 10 feet of sand overlying clay with interspersed silty sand and silt layers within 15 feet of the surface. During our drilling activities, Weaver Boos observed solvent odors in two of the soil probes completed on the Property, namely WBF-2S (8 to 10 feet bgs) and WBF-5CS (4 to 20 feet bgs). It should be noted that the locations of soil probes WBF-2S and WBF-5CS correspond to the locations of the observed sulfidic staining located east of the main building and the area void of vegetation located south of the main building.

Weaver Boos selected as many as two representative soil samples¹ from each probe with the exception of soil probes WBF-2S, WBF-5AS and WBF-5CS. Weaver Boos selected two representative samples from soil probes WBF-2S and WBF-5CS at various depths due to the presence of solvent odors and elevated organic vapor readings, and a deeper third sample was selected from these soil probes to further assess the vertical extent of volatile organic compounds (VOCs) in soil. Weaver Boos selected one representative sample from soil probe WBF-5AS due to an obstruction encountered at 12 feet bgs.

Weaver Boos collected the soil samples following USEPA² Method 5035. We placed the selected soil samples into preserved laboratory-supplied sample containers, placed the selected soil samples in a cooler packed with ice in an effort to maintain a constant temperature near 4°C, and submitted the samples to a qualified laboratory for VOC analysis. Upon completion of the soil probes, Weaver Boos abandoned the soil probe borehole by backfilling each probe with granular bentonite to form an expanding low-permeability seal.

Groundwater Sampling Methodology and Observations

Weaver Boos encountered groundwater in four of the 11 soil probes completed at the Property. Specifically, we encountered groundwater in soil probes WBF-1S and WBF-2S in the silty sand seam at depths of 10 and 8 feet bgs, respectively, and in soil probes WBF-5CS and WBF-7S in the sand layer at depths of 4 and 20 feet bgs, respectively.

Weaver Boos converted the soil probes to temporary monitoring wells and collected four shallow groundwater samples in the aforementioned locations that exhibited elevated organic vapor readings, solvent odors, or in areas of identified potential sources. Weaver Boos collected the groundwater screening samples using one-inch diameter polyvinyl chloride (PVC) and a five-foot section of 0.01-inch slotted screen. Weaver Boos placed the groundwater screening samples into preserved, laboratory-supplied sample containers, placed the samples in a cooler packed with ice in an effort to maintain a constant temperature near 4°C, and submitted the samples to a qualified laboratory for VOC analysis. After collecting the water samples, Weaver Boos abandoned the temporary monitoring wells by removing the PVC screen and riser and

¹ Typically included samples from each soil probe that exhibited the greatest apparent degree of stains, odors, or elevated organic vapor reading as measured with a PID, and a sample at the depth of a confining layer that could potentially impede the migration of solvent compounds.

² United States Environmental Protection Agency

backfilling each probe with granular bentonite to form an expanding low-permeability seal with the hydrated granular bentonite.

Laboratory Analytical Summary

Weaver Boos submitted the selected soil and water samples (21 soil samples and 4 groundwater samples) to STAT Analysis Corporation (STAT) of Chicago, Illinois for analysis using standard chain-of-custody documentation and handling procedures. STAT analyzed the selected soil and water samples for VOCs using USEPA Method 5035/8260B (soil) and USEPA Method 8260B (water) as outlined in *USEPA SW-846, Test Methods For Evaluating Solid Waste, Third Edition*.

The laboratory analyses detected certain VOCs in all of the soil probes completed on the Property and in 16 of the 21 soil samples analyzed. Soil probes WBF-2S, WBF-5AS, WBF-5CS, and WBF-9S exhibited the highest detected concentrations of certain solvent-type compounds that exceed the TACO Tier 1 soil component of the groundwater ingestion exposure route soil remediation objective (see **Figure 3**).

Specifically, soil probe WBF-2S (8 to 10 feet bgs) exhibited an elevated concentration of 1,1,1-trichloroethane (1,1,1-TCA), a breakdown compound of trichloroethene (TCE). Soil probe WBF-5AS (6 to 8 feet bgs) exhibited elevated concentrations of tetrachloroethene (PCE), 1,1,1-TCA, and TCE. Soil probe WBF-5CS exhibited elevated concentrations of 1,1,1-TCA and PCE at a depth of 4 to 6 feet bgs, and elevated concentrations of 1,1-dichloroethene (1,1-DCE) and 1,1,1-TCA at a depth of 14 to 16 feet bgs. The deeper samples analyzed from both WBF-2S (20 to 23 feet bgs) and WBF-5CS (22 to 24 feet bgs) exhibited no detectable VOC concentrations. Additionally, soil sample WBF-9S exhibited elevated concentrations of 1,1,1-TCA and TCE at a depth of 20 to 22 feet bgs, the interface between the sand and underlying clay soil.

The laboratory analyses detected certain VOCs in the four water samples analyzed from the Property. Specifically, water sample WBF-1WS exhibited an elevated concentration of PCE; and water WBF-5CWS and WBF-7WS exhibited elevated concentrations of 1,1-DCA, PCE, 1,1,1-TCA, and TCE that exceed the TACO Tire 1 groundwater remediation objectives (see **Figure 4**, attached). **Tables 1** and **2**, attached, summarize the soil and groundwater results. Copies of the laboratory analytical reports are included in **Attachment E**.

Summary of Findings

Weaver Boos completed 11 soil probes on the Property and selected a total of 21 soil samples and 4 water samples for VOC analyses. Two of the soil probes located in an area of observed surficial staining east of the main building (WBF-2S) and in an area void of vegetation located south of the main building (WBF-5CS) exhibited solvent odors in the soil profile. Soil probes WBF-2S, WBF-5AS, WBF-5CS, and WBF-9S exhibited the highest detected concentrations of certain solvent-type compounds that exceed the TACO Tier 1 soil component of the groundwater ingestion exposure route soil remediation objective. The soil collected from WBF-2S and WBF-5CS also exhibited elevated concentrations of certain solvent-type compounds. Additionally, water sample WBF-5CWS and two water samples collected from soil probes completed on the east side of the Property exhibited elevated concentrations of certain solvent-type compounds that exceed the TACO Tier 1 groundwater remediation objectives.

We trust that this information will be sufficient for your needs. If you have any questions, comments, or require any additional information, please do not hesitate to contact us.

Sincerely,

Weaver Boos Consultants North Central, LLC



Carl R. Dawes
Senior Project Manager



Douglas G. Dorgan, Jr., LPG
Principal

FIGURES



MAP PER DUPAGE COUNTY - DEC. 2005

**SITE LOCATION LAYOUT
ELLSWORTH INDUSTRIAL PARK
DOWNERS GROVE, ILLINOIS**

REUSE OF DOCUMENTS

THIS DOCUMENT, AND THE DESIGNS INCORPORATED HEREIN, AS AN
INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF WEAVER BOOS
CONSULTANTS, INC., AND IS NOT TO BE USED IN WHOLE OR IN PART, WITHOUT
THE WRITTEN AUTHORIZATION OF WEAVER BOOS CONSULTANTS, INC.

PREPARED FOR			SITE LOCATION LAYOUT ELLSWORTH INDUSTRIAL PARK OWNERS GROVE, ILLINOIS		
REVISIONS			WEAVER BOOS CONSULTANTS		
NO.	DATE	DESCRIPTION	CHICAGO, IL NAPERVILLE, IL (630) 717-4848	GRIFFITH, IN SPRINGFIELD, IL COLUMBUS, OH DENVER, CO	SOUTH BEND, IN FORT WORTH, TX
OS UT			DRAWN BY: CPIV	DATE: 02/24/06	FILE: EL000002.DWG
			REVIEWED BY: CD	CAD: 1894-300-03-DWG	FIGURE 1




- SOURCES**
- 1.) BASE MAP DERIVED FROM DUPAGE COUNTY AREA MAP DATED 12/05.
 - 2.) ALL SOIL PROBE LOCATIONS ARE APPROXIMATE.
 - 3.) EXTERIOR SOIL PROBE LOCATIONS WERE LOCATED BY GPS FIELD SURVEY CONDUCTED BY WEAVER BOOS PERSONNEL ON 04/12/06. INTERIOR SOIL PROBE LOCATIONS WERE LOCATED WITH FIELD MEASUREMENTS ON 4/14/06.
- NOTE: WATER SAMPLES COLLECTED FROM WBF-1S, WBF-2S, WBF-5CS, AND WBF-7S ARE DESIGNATED AS WBF-1WS, WBF-2WS, WBF-5CWS, AND WBF-7WS

FUSIBOND PIPING SYSTEMS INC.
2615 CURTISS STREET
DOWNTOWN GROVE, IL

Weaver Boos Consultants

GRIFITH, IN	CHICAGO, IL	NAPERVILLE, IL
FORT WORTH, TX	(312) 922-1030	SPRINGFIELD, IL
COLUMBUS, OH	SOUTH BEND, IN	ST. LOUIS, MO

DRAWN BY: CJB	DATE: 05/03/06	FILE: 1894300-03
REVIEWED BY: CRD	CAD:EL000002A.DWG	FIGURE 2



SOURCES

- 1.) BASE MAP DERIVED FROM DUPAGE COUNTY AREA MAP DATED 12/05.
- 2.) ALL SOIL PROBE LOCATIONS ARE APPROXIMATE.
- 3.) EXTERIOR SOIL PROBE LOCATIONS WERE LOCATED BY GPS FIELD SURVEY CONDUCTED BY WEAVER BOOS PERSONNEL ON 04/12/06. INTERIOR SOIL PROBE LOCATIONS WERE LOCATED WITH FIELD MEASUREMENTS ON 4/14/06.

LEGEND

- WBF-3S** APPROXIMATE SOIL PROBE LOCATION
- | | | |
|------|----------|---|
| 0.31 | CLASS I | CONCENTRATION EXCEEDS TACO TIER 1 SOIL |
| 35 | CLASS II | COMPONENT OF GROUNDWATER INGESTION |
| n/d | | EXPOSURE ROUTE SOIL REMEDIATION OBJECTIVE.
(mg/kg) |
- 0.31 35 n/d
- INDICATES LESS THAN LABORATORY DETECTION LIMIT
- APPROXIMATE PROPERTY BOUNDARY


NOTE: WATER SAMPLES COLLECTED FROM WBF-1S, WBF-2S, WBF-5CS, AND WBF-7S ARE DESIGNATED AS WBF-1WS, WBF-2WS, WBF-5CWS, AND WBF-7WS (SEE FIG. 4).

SOIL ANALYTICAL SUMMARY

FUSIBOND PIPING SYSTEMS INC.
2615 CURTISS STREET
DOWNTOWN GROVE, IL

Weaver Boos Consultants
GRIFFITH, IN CHICAGO, IL NAPERVILLE, IL
FORT WORTH, TX (312) 922-1030 SPRINGFIELD, IL
COLUMBUS, OH SOUTH BEND, IN ST. LOUIS, MO

DRAWN BY: CJB	DATE: 05/08/06	FILE: 1894300-03
REVIEWED BY: CRD	CAD:EL000002B.DWG	FIGURE 3



NOTE: WATER SAMPLES COLLECTED FROM WBF-1S, WBF-2S, WBF-5CS, AND WBF-7S ARE DESIGNATED AS WBF-1WS, WBF-2WS, WBF-5CWS, AND WBF-7WS.

SOURCES

- 1.) BASE MAP DERIVED FROM DUPAGE COUNTY AREA MAP DATED 12/05.
- 2.) ALL SOIL PROBE LOCATIONS ARE APPROXIMATE.
- 3.) EXTERIOR SOIL PROBE LOCATIONS WERE LOCATED BY GPS FIELD SURVEY CONDUCTED BY WEAVER BOOS PERSONNEL ON 04/12/06. INTERIOR SOIL PROBE LOCATIONS WERE LOCATED WITH FIELD MEASUREMENTS ON 4/14/06.

LEGEND

WBF-3S	APPROXIMATE SOIL PROBE LOCATION
—	APPROXIMATE PROPERTY BOUNDARY
0.32	CLASS I
0.084	CLASS II

APPROXIMATE SOIL PROBE LOCATION
APPROXIMATE PROPERTY BOUNDARY
CONCENTRATION EXCEEDS TACO TIER 1
GROUNDWATER REMEDIATION OBJECTIVES
(mg/L)

FUSIBOND PIPING SYSTEMS INC.
2615 CURTISS STREET
DOWNTOWN GROVE, IL

Weaver Boos Consultants

GRIFFITH, IN CHICAGO, IL NAPERVILLE, IL
FORT WORTH, TX COLUMBUS, OH (312) 922-1030 SPRINGFIELD, IL
SOUTH BEND, IN ST. LOUIS, MO

DRAWN BY: CJB DATE: 05/08/06 FILE: 1894300-03

REVIEWED BY: CRD CAD:EL000002.C.DWG

FIGURE 4

TABLES

Table 1
VOCs Soil Analytical Summary
Fusibond Piping Systems, Inc.
2615 Curtiss Street
Downers Grove, Illinois

Analyte	Industrial/Commercial ^a		Construction Worker ^a		Soil Component of Groundwater Ingestion ^a		Soil Saturation Limit ^b	Weaver Boos Site Assessment (April 11, 12 and 14, 2006)																				
	Ingestion mg/kg	Inhalation mg/kg	Ingestion mg/kg	Inhalation mg/kg	Class I mg/kg	Class II mg/kg		WBF-1S ^d	WBF-1S	WBF-2S	WBF-2S	WBF-2S	WBF-3S	WBF-3S	WBF-4S	WBF-4S	WBF-5AS	WBF-5CS	WBF-5CS	WBF-5CS	WBF-6S	WBF-6S	WBF-7S	WBF-7S	WBF-8S	WBF-8S	WBF-9S	WBF-9S
	mg/kg	12 to 14 ^e	24 to 26	2 to 4	8 to 10	20 to 23	4 to 6	20 to 24	14 to 16	22 to 24	6 to 8	4 to 6	14 to 16	22 to 24	4 to 8	14 to 16	22 to 24	4 to 6	14 to 16	22 to 24	4 to 8	14 to 16	22 to 24	2 to 4	18 to 20	6 to 8	20 to 22	
VOCs																												
Acetone	200,000	100,000	200,000	100,000	16	16	100,000	< 0.04	< 0.049	0.069	< 0.054	< 0.041	0.13	0.087	< 0.043	< 0.049	< 0.054	< 0.072	< 0.049	< 0.055	< 0.068	< 0.056	< 0.055	< 0.04	< 0.048	< 0.046	< 0.053	< 0.05
Benzene	100	1.6	2,300	2.2	0.03	0.17	870	< 0.004	< 0.0049	< 0.0053	< 0.0054	< 0.0041	< 0.0067	< 0.0052	< 0.0043	< 0.0049	< 0.0054	< 0.0072	< 0.0049	< 0.0055	< 0.0068	< 0.0056	< 0.0055	< 0.004	< 0.0048	< 0.0046	< 0.0053	< 0.005
Bromodichloromethane	92	3,000	2,000	3,000	0.6	0.6	3,000	< 0.004	< 0.0049	< 0.0053	< 0.0054	< 0.0041	< 0.0067	< 0.0052	< 0.0043	< 0.0049	< 0.0054	< 0.0072	< 0.0049	< 0.0055	< 0.0068	< 0.0056	< 0.0055	< 0.004	< 0.0048	< 0.0046	< 0.0053	< 0.005
Bromoform	720	100	16,000	140	0.8	0.8	1,900	< 0.004	< 0.0049	< 0.0053	< 0.0054	< 0.0041	< 0.0067	< 0.0052	< 0.0043	< 0.0049	< 0.0054	< 0.0072	< 0.0049	< 0.0055	< 0.0068	< 0.0056	< 0.0055	< 0.004	< 0.0048	< 0.0046	< 0.0053	< 0.005
Bromomethane	2,900	15	1,000	3.9	0.2	1.2	3,200	< 0.008	< 0.0099	< 0.011	< 0.0082	< 0.013	< 0.01	< 0.0087	< 0.0097	< 0.011	< 0.014	< 0.0097	< 0.011	< 0.014	< 0.011	< 0.011	< 0.008	< 0.0096	< 0.0091	< 0.011	< 0.01	
2-Butonone ^c	1,000,000	25,000	120,000	710	17	17	---	< 0.008	< 0.0099	< 0.011	< 0.0082	0.015	0.016	< 0.0087	< 0.0097	< 0.011	< 0.014	< 0.0097	< 0.011	< 0.014	< 0.011	< 0.008	< 0.0096	< 0.0091	< 0.011	< 0.01		
Carbon Disulfide	200,000	720	20,000	9.0	32	160	720	< 0.004	< 0.0049	< 0.0053	< 0.0054	< 0.0041	< 0.0067	< 0.0052	< 0.0043	< 0.0049	< 0.0054	< 0.0072	< 0.0049	< 0.0055	< 0.0068	< 0.0056	0.044	< 0.004	< 0.0048	< 0.0046	< 0.0053	< 0.005
Carbon Tetrachloride	44	0.64	410	0.90	0.07	0.33	1,100	< 0.004	< 0.0049	< 0.0053	< 0.0054	< 0.0041	< 0.0067	< 0.0052	< 0.0043	< 0.0049	< 0.0054	< 0.0072	< 0.0049	< 0.0055	< 0.0068	< 0.0056	< 0.0055	< 0.004	< 0.0048	< 0.0046	< 0.0053	< 0.005
Chlorobenzene	41,000	210	4,100	1.3	1.0	6.5	680	< 0.004	< 0.0049	< 0.0053	< 0.0054	< 0.0041	< 0.0067	< 0.0052	< 0.0043	< 0.0049	< 0.0054	< 0.0072	< 0.0049	< 0.0055	< 0.0068	< 0.0056	< 0.0055	< 0.004	< 0.0048	< 0.0046	< 0.0053	< 0.005
Dibromochloromethane	41,000	1,300	41,000	1,300	0.4	0.4	1,300	< 0.004	< 0.0049	< 0.0053	< 0.0054	< 0.0041	< 0.0067	< 0.0052	< 0.0043	< 0.0049	< 0.0054	< 0.0072	< 0.0049	< 0.0055	< 0.0068	< 0.0056	< 0.0055	< 0.004	< 0.0048	< 0.0046	< 0.0053	< 0.005
Chloroethane ^c	820,000	1,500	82,000	94	15	70	---	< 0.008	< 0.0099	< 0.011	< 0.0082	< 0.013	< 0.01	< 0.0087	< 0.0097	< 0.011	< 0.014	< 0.0097	< 0.011	< 0.014	< 0.011	< 0.011	< 0.008	< 0.0096	< 0.0091	< 0.011	< 0.01	
Chloroform	940	0.54	2,000	0.76	0.6	2.9	2,900	< 0.004	< 0.0049	< 0.0053	< 0.0054	< 0.0041	< 0.0067	< 0.0052	0.0068	< 0.0049	< 0.0054	< 0.0072	< 0.0049	< 0.0055	< 0.0068	< 0.0056	< 0.0055	< 0.004	< 0.0048	< 0.0046	< 0.0053	< 0.005
Chloromethane ^c	8,200	170	820	1.1	0.14	0.68	---	< 0.008	< 0.0099	< 0.011	< 0.0082	< 0.013	< 0.01	< 0.0087	< 0.0097	< 0.011	< 0.014	< 0.0097	< 0.011	< 0.014	< 0.011	< 0.008	< 0.0096	< 0.0091	< 0.011	< 0.01		
1,1-Dichloroethane	200,000	1,700	200,000	130	23	110	1,700	< 0.004	< 0.0049	< 0.0053	0.021	< 0.0041	< 0.0067	< 0.0052	< 0.0043	0.084	0.072	1.5	0.07	< 0.0055	< 0.0068	0.011	< 0.0055	0.062	< 0.0048	< 0.0046	< 0.0053	0.29
1,2-Dichloroethane	63	0.7	1,400	0.99	0.02	0.10	1,800	< 0.004	< 0.0049	< 0.0053	< 0.0054	< 0.0041	< 0.0067	< 0.0052	< 0.0043	< 0.0049	< 0.0054	< 0.0072	< 0.0049	< 0.0055	< 0.0068	< 0.0056	< 0.0055	< 0.004	< 0.0048	< 0.0046	< 0.0053	< 0.005
1,1-Dichloroethene	18,000	1,500	1,800	300	0.06	0.30	1,500	< 0.004	< 0.0049	< 0.0053	< 0.0064	< 0.0041	< 0.0067	< 0.0052	< 0.0043	0.0084	0.23	0.052	0.099	< 0.0055	< 0.00							

Table 2
VOCs Groundwater Analytical Summary
Fusibond Piping Systems, Inc.
2615 Curtiss Street
Downers Grove, Illinois

Analyte	TACO Tier 1 Remediation Objectives ^a		Weaver Boos Site Assessment (April 11, 12, and 14, 2006)			
	Groundwater Component of Groundwater Ingestion					
	Class I mg/L	Class II mg/L	WBF-1WS ^b	WBF-2WS	WBF-5CWS	WBF-7WS
VOCs						
Acetone	0.7	0.7	< 0.01	0.015	0.046	< 0.01
Benzene	0.005	0.025	< 0.005	< 0.005	< 0.005	< 0.005
Bromodichloromethane	0.0002	0.0002	< 0.005	< 0.005	< 0.005	< 0.005
Bromoform	0.001	0.001	< 0.005	< 0.005	< 0.005	< 0.005
Bromomethane	0.0098	0.049	< 0.01	< 0.01	< 0.01	< 0.01
2-Butanone	4.2	4.2	< 0.01	< 0.01	< 0.01	< 0.01
Carbon Disulfide	0.7	3.5	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Tetrachloride	0.005	0.025	< 0.005	< 0.005	< 0.005	< 0.005
Chlorobenzene	0.1	0.5	< 0.005	< 0.005	< 0.005	< 0.005
Dibromochloromethane	0.14	0.14	< 0.005	< 0.005	< 0.005	< 0.005
Chloroethane ^c	2.8	14	< 0.01	< 0.01	0.015	< 0.01
Chloroform	0.0002	0.001	< 0.005	< 0.005	< 0.005	< 0.005
Chloromethane ^c	0.028	0.14	< 0.01	< 0.01	< 0.01	< 0.01
1,1-Dichloroethane	0.7	3.5	< 0.005	0.11	0.29	0.036
1,2-Dichloroethane	0.005	0.025	< 0.005	< 0.005	< 0.005	< 0.005
1,1-Dichloroethene	0.007	0.035	< 0.005	0.0052	0.022	0.008
cis-1,2-Dichloroethene	0.07	0.2	< 0.005	0.0085	0.059	0.014
trans-1,2-Dichloroethene	0.1	0.5	< 0.005	< 0.005	< 0.005	< 0.005
1,2-Dichloropropane	0.005	0.025	< 0.005	< 0.005	< 0.005	< 0.005
cis-1,3-Dichloropropene	0.001	0.005	< 0.001	< 0.001	< 0.001	< 0.001
trans-1,3-Dichloropropene	0.001	0.005	< 0.001	< 0.001	< 0.001	< 0.001
Ethylbenzene	0.7	1.0	< 0.005	< 0.005	< 0.005	< 0.005
2-Hexanone ^c	0.28	0.28	< 0.01	< 0.01	< 0.01	< 0.01
4-Methyl-2-pentanone	---	---	< 0.01	< 0.01	< 0.01	< 0.01
Methylene Chloride	0.005	0.050	< 0.005	< 0.005	< 0.005	< 0.005
Methyl tertiary-butyl ether	0.07	0.07	< 0.005	< 0.005	< 0.005	< 0.005
Styrene	0.1	0.5	< 0.005	< 0.005	< 0.005	< 0.005
1,1,2,2-Tetrachloroethane ^c	0.42	0.42	< 0.005	< 0.005	< 0.005	< 0.005
Tetrachloroethene	0.005	0.025	0.036	< 0.005	0.038	0.084
Toluene	1.0	2.5	< 0.005	< 0.005	< 0.005	< 0.005
1,1,1-Trichloroethane	0.2	1.0	0.013	0.17	1.3	0.32
1,1,2-Trichloroethane	0.005	0.050	< 0.005	< 0.005	< 0.005	< 0.005
Trichloroethene	0.005	0.025	< 0.005	< 0.005	0.011	0.014
Vinyl chloride	0.002	0.01	< 0.002	< 0.002	< 0.002	< 0.002
Xylenes (total)	10.0	10.0	< 0.015	< 0.015	< 0.015	< 0.015

Notes:

^a Tier 1 Soil Remediation Objective from Tiered Approach to Corrective Action Objectives (TACO) 35 IAC 742.

^b Sample identification

^c Groundwater remediation objectives as listed in the document entitled *Groundwater Remediation Objectives for Chemicals Not Listed in TACO* prepared by the Illinois Environmental Protection Agency Toxicity Assessment Unit dated October 1, 2004.

<0.001 Less than the reported laboratory detection limit

--- indicates not listed in TACO Tier 1 Groundwater Remediation Objectives Tables.

All units in mg/L except where otherwise noted.

0.17 Analyte detected above the laboratory detection limit

0.32 Concentration exceeds TACO Tier 1 Class I groundwater remediation objective

1.3 Concentration exceeds TACO Tier 1 Class II groundwater remediation objective

Attachment A

GPS Survey Data

**GPS Field Survey Summary
Fusibond Piping Systems, Inc.
2615 Curtiss Street
Downers Grove, Illinois**

Soil Probe ID	Easting	Northing
WBF-1	323808.716	569062.144
WBF-2	323784.761	569026.577
WBF-3	323774.877	569070.815
WBF-4	323741.655	569049.772
WBF-5A	323765.861	569013.492
WBF-5B	323766.821	569015.92
WBF-5C	323763.566	569016.246

Note: All locations are approximate derived from GPS field survey
conducted on April 12, 2006

System: State Plane 1983
Zone: Illinois East
Datum: NAD 1983 (Conus)
Coordinate Units Meters

Attachment B

Property Photographs

By: John Low
Project No. 1894300-03

Fusibond Piping Systems, Inc.
2615 Curtiss Street
Downers Grove, IL

Page 1 of 8
Date: April 11, 12, 14, 2006

Photograph #1



A photo of sampling equipment used at the Fusibond site.



Photograph #2

A north view of WBF-1 with 1" PVC well casing in place for groundwater sampling.

By: John Low
Project No. 1894300-03

Fusibond Piping Systems, Inc.
2615 Curtiss Street
Downers Grove, IL

Page 2 of 8
Date: April 11, 12, 14, 2006

Photograph #3



An east view of
WBF-1 with well
casing in place.

Photograph #4



An east view of
WBF-2.

By: John Low
Project No. 1894300-03

Fusibond Piping Systems, Inc.
2615 Curtiss Street
Downers Grove, IL

Page 3 of 8
Date: April 11, 12, 14, 2006



Photograph #5

A south view of
WBF-2.



Photograph #6

A southeast view of
WBF-2.

By: John Low
Project No. 1894300-03

Fusibond Piping Systems, Inc.
2615 Curtiss Street
Downers Grove, IL

Page 4 of 8
Date: April 11, 12, 14, 2006

Photograph #7



An east view of
WBF-3.



Photograph #8

A south view of
WBF-4.

By: John Low
Project No. 1894300-03


Fusibond Piping Systems, Inc.
2615 Curtiss Street
Downers Grove, IL

Page 5 of 8
Date: April 11, 12, 14, 2006



Photograph #9

A northeast view of WBF-4.



Photograph #10

An east view of WBF-5C with 1" PVC well casing in place. WBF-5A and B are in the background in non-vegetated area.

By: John Low
Project No. 1894300-03

Fusibond Piping Systems, Inc.
2615 Curtiss Street
Downers Grove, IL


Page 6 of 8
Date: April 11, 12, 14, 2006

Photograph #11



A north view of
WBF-5A and WBF-5B.

Photograph #12



A northwest view of
WBF-5A, WBF-5B
and WBF-5C.

By: John Low
Project No. 1894300-03

Fusibond Piping Systems, Inc.
2615 Curtiss Street
Downers Grove, IL

Page 7 of 8
Date: April 11, 12, 14, 2006

Photograph #13



A north view of
WBF-6.

Photograph #14



An east view of
WBF-7 with 1" PVC
well casing in place.

By: John Low
Project No. 1894300-03

Fusibond Piping Systems, Inc.
2615 Curtiss Street
Downers Grove, IL

Page 8 of 8
Date: April 11, 12, 14, 2006

Photograph #15



A south view of
WBF-8.



Photograph #16

A north view of
WBF-9.

Attachment C

Soil Logs

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-1S**

Page 1 of 2

Time Started:	0820	File No.:	1894300-03
Time Completed:	1045	Client:	Muniz Joint Defense Group
Driller:	Brian (Terra Trace)	Date:	4/11/2006
Helper:	Guillermo		WATER LEVEL DATA
Location:	2615 Curtiss St.	10	Ft WHILE DRILLING
	Downers Grove, Illinois	NA	Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELLOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
---		Asphalt					
--- 1.0 ---	ML	Brown mottled light brown SILTY CLAY with trace fine sand & fine gravel	1	40	0	Damp	No odor
--- 2.0 ---					0	Damp	No odor
--- 3.0 ---	OH	Organic rich black SILTY CLAY with trace roots					
--- 4.0 ---	CL	Brown mottled light brown, dark brown, gray, and red/orange SILTY CLAY with some fine sand & fine gravel & roots	2	40	0	Damp	No odor
--- 5.0 ---					0		
--- 6.0 ---					0	Damp	No odor
--- 7.0 ---					0		No odor
--- 8.0 ---					0	Moist	
--- 9.0 ---					0	Moist	No odor
--- 10.0 ---					1	Wet	
--- 11.0 ---	SM	Brown and gray SILTY SAND with trace fine gravel	3	37	1	Moist	No odor
--- 12.0 ---	CL	Brown mottled light brown, dark brown, gray, and red/orange SILTY CLAY with trace fine sand & fine gravel					
--- 13.0 ---							
--- 14.0 ---							
--- 15.0 ---							
--- 16.0 ---	SP	Gray and brown medium to coarse SAND with some fine gravel	4	28	4	Moist	No odor - Sample collected from 12-14'
--- 17.0 ---							
--- 18.0 ---							
--- 19.0 ---							
--- 20.0 ---			5	18	0	Damp	No odor

NOTES:

Soil probe terminated at 32' bgs

Soil probe abandoned by backfilling with bentonite

Water sample collected from WBF-1S, labeled WBF-1WS, using a 1" PVC well casing with a 5' PVC screen

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-1S**

Page 2 of 2

Time Started:	0820	File No.:	1894300-03
Time Completed:	1045	Client:	Muniz Joint Defense Group
Driller:	Brian (Terra Trace)	Date:	4/11/2006
Helper:	Guillermo		WATER LEVEL DATA
Location:	2615 Curtiss St.	10	Ft WHILE DRILLING
	Downers Grove, Illinois	NA	Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- 21.0 ---	SP	Gray and brown medium to coarse SAND with some fine gravel	6	17	0	Damp	No odor
--- 22.0 ---							
--- 23.0 ---							
--- 24.0 ---							
--- 25.0 ---	CH	Hard gray CLAY with trace fine sand & fine gravel	7	33	3	Damp	No odor - Sample collected from 24-26'
--- 26.0 ---					1.6	Damp	No odor
--- 27.0 ---							
--- 28.0 ---							
--- 29.0 ---							
--- 30.0 ---							
--- 31.0 ---							
--- 32.0 ---							
--- 33.0 ---		End of Boring					
--- 34.0 ---							
--- 35.0 ---							
--- 36.0 ---							
--- 37.0 ---							
--- 38.0 ---							
--- 39.0 ---							
--- 40.0 ---							

NOTES:

Soil probe terminated at 32' bgs

Soil probe abandoned by backfilling with bentonite

Water sample collected from WBF-1S, labeled WBF-1WS, using a 1" PVC well casing with a 5' PVC screen

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-2S**

Page 1 of 2

Time Started:	1220	File No.:	1894300-03
Time Completed:	1410	Client:	Muniz Joint Defense Group
Driller:	Brian (Terra Trace)	Date:	4/11/2006
Helper:	Guillermo		WATER LEVEL DATA
Location:	2615 Curtiss St.	8	Ft WHILE DRILLING
	Downers Grove, Illinois	NA	Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
---		Asphalt					
--- 1.0 ---	OH	Organic rich black SILTY CLAY with trace roots	1	40	4	Damp	No odor
--- 2.0 ---					4.8	Damp	No odor - Soil sampled collected from 2-4'
--- 3.0 ---					3.2	Damp	No odor
--- 4.0 ---					1.6	Damp	No odor
--- 5.0 ---	CL	Brown mottled light brown, dark brown, gray, and red/orange SILTY CLAY with trace fine sand & fine gravel	2	39			
--- 6.0 ---							
--- 7.0 ---							
--- 8.0 ---							
--- 9.0 ---	SM	Brown and gray SILTY SAND with trace fine gravel	3	43	4.9	Moist - Wet	Slight solvent odor - Soil sample collected from 8-10'
--- 10.0 ---					4.8	Damp - Moist	No odor
--- 11.0 ---	CL	Brown mottled light brown, dark brown, gray, and red/orange SILTY CLAY with trace fine sand & fine gravel	4	23			
--- 12.0 ---							
--- 13.0 ---							
--- 14.0 ---							
--- 15.0 ---							
--- 16.0 ---	SP	Gray and brown medium to coarse SAND with some fine gravel	5	17	3.2	Damp - Moist	No odor
--- 17.0 ---							
--- 18.0 ---							
--- 19.0 ---							
--- 20.0 ---							

NOTES: Soil probe terminated at 23' bgs
 Soil probe abandoned by backfilling with bentonite Water sample collected from WBF-2S, labeled WBF-2WS, using a 1" PVC well casing with a 5' PVC screen.

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-2S**

Page 2 of 2

Time Started:	1220	File No.:	1894300-03
Time Completed:	1410	Client:	Muniz Joint Defense Group
Driller:	Brian (Terra Trace)	Date:	4/11/2006
Helper:	Guillermo		WATER LEVEL DATA
Location:	2615 Curtiss St.	8	Ft WHILE DRILLING
	Downers Grove, Illinois	NA	Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
-- 21.0 --	CH	Hard gray CLAY with trace fine sand & fine gravel	6	26	4.8	Damp	No odor - Soil sample collected from 20-23'
-- 22.0 --							
-- 23.0 --							
-- 24.0 --							
-- 25.0 --							
-- 26.0 --							
-- 27.0 --							
-- 28.0 --							
-- 29.0 --							
-- 30.0 --							
-- 31.0 --							
-- 32.0 --							
-- 33.0 --							
-- 34.0 --							
-- 35.0 --							
-- 36.0 --							
-- 37.0 --							
-- 38.0 --							
-- 39.0 --							
-- 40.0 --							

NOTES: Soil probe terminated at 23' bgs
 Soil probe abandoned by backfilling with bentonite

Water sample collected from WBF-2S, labeled WBF-2WS, using a 1" PVC well casing with a 5' PVC screen.

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-3S**

Page 1 of 2

Time Started:	1520	File No.:	1894300-03
Time Completed:	1705	Client:	Muniz Joint Defense Group
Driller:	Brian (Terra Trace)	Date:	4/11/2006
Helper:	Guillermo		WATER LEVEL DATA
Location:	2615 Curtiss St. Downers Grove, Illinois	NE NA	Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
---		Asphalt					
--- 1.0 ---	CL	Brown mottled light brown, dark brown, gray, and red/orange SILTY CLAY with trace fine sand & fine gravel - trace leaves and roots	1	39	1.6	Damp	No odor
--- 2.0 ---					2.6	Damp	No odor
--- 3.0 ---							
--- 4.0 ---							
--- 5.0 ---	CL	Brown mottled red/orange SILTY CLAY with some medium sand & fine gravel (weathered)	2	28	6.4	Damp	No odor - Soil sample collected from 4-6'
--- 6.0 ---					1.6	Damp	No odor
--- 7.0 ---							
--- 8.0 ---	CL	Brown mottled light brown, dark brown, gray, and red/orange SILTY CLAY with trace fine sand & fine gravel	3	34	1.6	Damp	No odor
--- 9.0 ---					0	Damp	No odor
--- 10.0 ---							
--- 11.0 ---							
--- 12.0 ---							
--- 13.0 ---							
--- 14.0 ---	SP	Gray and brown medium SAND with some fine gravel	4	20	1.2	Damp	No odor
--- 15.0 ---							
--- 16.0 ---							
--- 17.0 ---							
--- 18.0 ---							
--- 19.0 ---							
--- 20.0 ---							

NOTES: Soil probe terminated at 28' bgs
 Soil probe abandoned by backfilling with bentonite

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-3S**

Page 2 of 2

Time Started:	1520	File No.:	1894300-03
Time Completed:	1705	Client:	Muniz Joint Defense Group
Driller:	Brian (Terra Trace)	Date:	4/11/2006
Helper:	Guillermo		WATER LEVEL DATA
Location:	2615 Curtiss St.		Ft WHILE DRILLING
	Downers Grove, Illinois		Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
-- 21.0 --	SP	Gray and brown medium SAND with some fine gravel	6	10	4.7	Damp	No odor - Soil sample collected from 20-24'
-- 22.0 --							
-- 23.0 --							
-- 24.0 --							
-- 25.0 --	CL	Brown mottled gray and orange SILTY CLAY with little fine sand & fine gravel	7	25	1.2	Moist	No odor
-- 26.0 --							
-- 27.0 --							
-- 28.0 --							
-- 29.0 --		End of Boring					
-- 30.0 --							
-- 31.0 --							
-- 32.0 --							
-- 33.0 --							
-- 34.0 --							
-- 35.0 --							
-- 36.0 --							
-- 37.0 --							
-- 38.0 --							
-- 39.0 --							
-- 40.0 --							

NOTES: Soil probe terminated at 28' bgs
 Soil probe abandoned by backfilling with bentonite

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-4S**

Page 1 of 2

Time Started:	0830	File No.:	1894300-03
Time Completed:	1145	Client:	Muniz Joint Defense Group
Driller:	Brian (Terra Trace)	Date:	4/12/2006
Helper:	None		WATER LEVEL DATA
Location:	2615 Curtiss St. Downers Grove, Illinois	NE NA	Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- 1.0 ---	OH	Organic rich brown and black SILTY CLAY with trace roots	1	43	3	Damp	No odor
--- 2.0 ---					1.6	Damp	No odor
--- 3.0 ---					1	Damp	No odor
--- 4.0 ---	CL	Brown mottled light brown, dark brown, gray, and red/orange SILTY CLAY with trace fine sand & fine gravel	2	32	2.2	Damp	No odor
--- 5.0 ---					0	Damp	No odor
--- 6.0 ---					1	Damp	No odor
--- 7.0 ---							
--- 8.0 ---							
--- 9.0 ---							
--- 10.0 ---							
--- 11.0 ---							
--- 12.0 ---							
--- 13.0 ---	CL	Gray SILTY CLAY with trace fine sand & fine gravel	4	44	3.2	Moist	No odor
--- 14.0 ---		2" gray medium sand seam at 13' 8"			6.4	Damp	No odor - Soil sample collected from 14-16'
--- 15.0 ---							
--- 16.0 ---	SP	Gray and brown medium to coarse SAND with some fine gravel	5	15	3.1	Damp	No odor
--- 17.0 ---							
--- 18.0 ---							
--- 19.0 ---							
--- 20.0 ---							

NOTES: Soil probe terminated at 32' bgs Soil probe abandoned by backfilling with bentonite

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-4S**

Page 2 of 2

Time Started:	0830	File No.:	1894300-03
Time Completed:	1145	Client:	Muniz Joint Defense Group
Driller:	Brian (Terra Trace)	Date:	4/12/2006
Helper:	None		WATER LEVEL DATA
Location:	2615 Curtiss St. Downers Grove, Illinois	NE NA	Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- 21.0 ---	SP	Gray and brown medium to coarse SAND with some fine gravel				Moist	No odor
--- 22.0 ---	CH	Hard gray CLAY with trace fine sand & fine gravel	6	38	2.1	Damp	No odor - Soil sample collected from 22-24'
--- 23.0 ---					3.4		
--- 24.0 ---			7	46	2.9	Damp	No odor
--- 25.0 ---					3.2	Damp	No odor
--- 26.0 ---			8	44	3.1	Damp	No odor
--- 27.0 ---					3	Damp	No odor
--- 28.0 ---		End of Boring					
--- 29.0 ---							
--- 30.0 ---							
--- 31.0 ---							
--- 32.0 ---							
--- 33.0 ---							
--- 34.0 ---							
--- 35.0 ---							
--- 36.0 ---							
--- 37.0 ---							
--- 38.0 ---							
--- 39.0 ---							
--- 40.0 ---							

NOTES: Soil probe terminated at 32' bgs Soil probe abandoned by backfilling with bentonite

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-5AS/5BS**

Page 1 of 1

Time Started:	1230	File No.:	1894300-03
Time Completed:	1300	Client:	Muniz Joint Defense Group
Driller:	Brian (Terra Trace)	Date:	4/12/2006
Helper:	None		WATER LEVEL DATA
Location:	2615 Curtiss St. Downers Grove, Illinois	NE NA	Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- 1.0 ---	SP	Brown medium to coarse SAND with trace fine gravel	1	27	0	Very moist	No odor
--- 2.0 ---							
--- 3.0 ---							
--- 4.0 ---							
--- 5.0 ---	CL	Brown mottled light brown, dark brown, gray, and red/orange SILTY CLAY with trace fine sand & fine gravel			1.6	Very moist	No odor
--- 6.0 ---			2	43			
--- 7.0 ---					8	Damp	No odor - Soil sample collected from 6-8'
--- 8.0 ---							
--- 9.0 ---			3	44	1.6	Damp	No odor
--- 10.0 ---							
--- 11.0 ---					3.2	Damp	No odor
--- 12.0 ---							
--- 13.0 ---		End of Boring (because an obstruction was encountered)					
--- 14.0 ---							
--- 15.0 ---							
--- 16.0 ---							
--- 17.0 ---							
--- 18.0 ---							
--- 19.0 ---							
--- 20.0 ---							

NOTES: Soil probe terminated at 12' bgs
 Soil probe abandoned by backfilling with bentonite

Obstruction encountered at 10' in WBF-5AS. WBF-5BS was drilled and sampled 1 ft east from 8-10', where a second obstruction was encountered.

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-5CS**

Page 1 of 2

Time Started:	1430	File No.:	1894300-03
Time Completed:	1545	Client:	Muniz Joint Defense Group
Driller:	Brian (Terra Trace)	Date:	4/12/2006
Helper:	None		
Location:	2615 Curtiss St. Downers Grove, Illinois	4	WATER LEVEL DATA Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--	OH	Organic rich black SILTY CLAY with trace roots					
1.0	GC	Brown medium to coarse SAND with trace fine gravel	1	17	0	Damp	No odor
2.0							
3.0							
4.0							
5.0	CL	Brown mottled light brown, dark brown, gray, and red/orange SILTY CLAY with trace fine sand & fine gravel			185	Moist - Wet	Noticable solvent odor - Soil sample collected from 4-6'
6.0			2	45			
7.0				3.2	Damp	Noticable solvent odor	
8.0					0	Damp	Slight solvent odor
9.0			3	45			
10.0				4.8	Damp	Slight solvent odor	
11.0					8	Damp	Slight solvent odor
12.0			4	40			
13.0				9	Damp	Slight solvent odor	Soil sample collected from 14-16'
14.0					8	Moist	Slight solvent odor
15.0			5	45			
16.0				0	Damp	Slight solvent odor	
17.0							
18.0							
19.0	CH	Hard gray CLAY with trace fine sand & fine gravel					
20.0							

NOTES:

Soil probe terminated at 24' bgs

Soil probe abandoned by backfilling with bentonite

Water sample collected from WBF-5CS, labeled WBF-5CWS, using a 1" PVC well casing with a 5' PVC screen.

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-5CS**

Page 2 of 2

Time Started:	1430	File No.:	1894300-03
Time Completed:	1545	Client:	Muniz Joint Defense Group
Driller:	Brian (Terra Trace)	Date:	4/12/2006
Helper:	None		WATER LEVEL DATA
Location:	2615 Curtiss St. Downers Grove, Illinois	4	Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
-- 21.0 --	CH	Hard gray CLAY with trace fine sand & fine gravel			3.2	Damp	No odor
-- 22.0 --			6	40	0	Damp	No odor - Soil sample collected from 22-24'
-- 23.0 --							
-- 24.0 --							
-- 25.0 --		End of Boring					
-- 26.0 --							
-- 27.0 --							
-- 28.0 --							
-- 29.0 --							
-- 30.0 --							
-- 31.0 --							
-- 32.0 --							
-- 33.0 --							
-- 34.0 --							
-- 35.0 --							
-- 36.0 --							
-- 37.0 --							
-- 38.0 --							
-- 39.0 --							
-- 40.0 --							

NOTES:

Soil probe terminated at 24' bgs

Soil probe abandoned by backfilling with bentonite

Water sample collected from WBF-5CS, labeled WBF-5CWS, using a 1" PVC well casing with a 5' PVC screen.

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-6S**

Page 1 of 2

Time Started:	0740	File No.:	1894300-03
Time Completed:	0830	Client:	Muniz Joint Defense Group
Driller:	Bob (Paramount Env Serv)	Date:	4/14/2006
Helper:	Rob		WATER LEVEL DATA
Location:	2615 Curtiss St. Downers Grove, Illinois	NE NA	Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- 1.0 ---	CL	Concrete Brown mottled light brown, dark brown, gray, and orange/red SILTY CLAY with trace fine sand & fine gravel	1	42	0	Damp	No odor
--- 2.0 ---					0	Damp	No odor
--- 3.0 ---			2	20	3.2	Damp	No odor - Soil sample collected from 4-8'
--- 4.0 ---							
--- 5.0 ---			3	38	0	Damp	No odor
--- 6.0 ---					0	Damp	No odor
--- 7.0 ---			4	44	1.2	Damp	No odor
--- 8.0 ---					3.4	Damp	No odor - Soil sample collected from 14-16'
--- 9.0 ---							
--- 10.0 ---							
--- 11.0 ---							
--- 12.0 ---							
--- 13.0 ---							
--- 14.0 ---							
--- 15.0 ---							
--- 16.0 ---							
--- 17.0 ---	SP	Gray and brown medium to coarse SAND with trace fine gravel	5	11	0	Damp	No odor
--- 18.0 ---							
--- 19.0 ---							
--- 20.0 ---							

NOTES: Soil probe terminated at 30' bgs Soil probe abandoned by backfilling with bentonite

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS****Log of Soil Boring No.: WBF-6S**

Page 2 of 2

Time Started:	0740	File No.:	1894300-03
Time Completed:	0830	Client:	Muniz Joint Defense Group
Driller:	Bob (Paramount Env Serv)	Date:	4/14/2006
Helper:	Rob		WATER LEVEL DATA
Location:	2615 Curtiss St. Downers Grove, Illinois	NE NA	Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- 21.0 ---	SP	Gray and brown medium to coarse SAND with trace fine gravel				Damp - Moist	
--- 22.0 ---	CH	Brown CLAY with trace fine sand & fine gravel	6	33	1.6		No odor
--- 23.0 ---	CH	Hard gray CLAY with trace fine sand & fine gravel			0	Damp	
--- 24.0 ---			7	46	0	Damp	No odor
--- 25.0 ---					0	Damp	No odor
--- 26.0 ---					0	Damp	No odor
--- 27.0 ---					0	Damp	No odor
--- 28.0 ---					0	Damp	No odor
--- 29.0 ---			8	24	0	Damp	No odor
--- 30.0 ---							
--- 31.0 ---		End of Boring					
--- 32.0 ---							
--- 33.0 ---							
--- 34.0 ---							
--- 35.0 ---							
--- 36.0 ---							
--- 37.0 ---							
--- 38.0 ---							
--- 39.0 ---							
--- 40.0 ---							

NOTES: Soil probe terminated at 30' bgs Soil probe abandoned by backfilling with bentonite

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-7S**

Page 1 of 2

Time Started:	0905	File No.:	1894300-03
Time Completed:	1005	Client:	Muniz Joint Defense Group
Driller:	Bob (Paramount Env Serv)	Date:	4/14/2006
Helper:	Rob		WATER LEVEL DATA
Location:	2615 Curtiss St.	20	Ft WHILE DRILLING
	Downers Grove, Illinois	NA	Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
---		Concrete					
--- 1.0 ---	CL	Brown mottled light brown and red/orange SILTY CLAY with trace fine sand & fine gravel			0	Damp	No odor - Soil sample collected from 0-2'
--- 2.0 ---	ML	Light brown SILT with some fine sand & fine gravel	1	36			
--- 3.0 ---					0	Damp	No odor
--- 4.0 ---					0	Damp	No odor
--- 5.0 ---					0	Damp	No odor
--- 6.0 ---					0	Damp	No odor
--- 7.0 ---					0	Damp	No odor
--- 8.0 ---					0	Damp	No odor
--- 9.0 ---					--	--	No odor
--- 10.0 ---					--	--	No odor
--- 11.0 ---					--	--	No odor
--- 12.0 ---					--	--	No odor
--- 13.0 ---					--	--	No odor
--- 14.0 ---	SP	Gray and brown medium to coarse SAND with trace fine gravel	4	25	0	Damp	No odor
--- 15.0 ---							
--- 16.0 ---							
--- 17.0 ---							
--- 18.0 ---							
--- 19.0 ---							
--- 20.0 ---	CH	Brown CLAY with trace fine sand & fine gravel	5	26	0	Damp	No odor

NOTES:

Soil probe terminated at 32' bgs

Soil probe abandoned by backfilling with bentonite

Water sample collected from WBF-7S, labeled WBF-7WS, using a 1" PVC well casing with a 5' PVC screen.

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-7S**

Page 2 of 2

Time Started:	0905	File No.:	1894300-03
Time Completed:	1005	Client:	Muniz Joint Defense Group
Driller:	Bob (Paramount Env Serv)	Date:	4/14/2006
Helper:	Rob		WATER LEVEL DATA
Location:	2615 Curtiss St.	20	Ft WHILE DRILLING
	Downers Grove, Illinois	NA	Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- 21.0 ---	SP	Gray and brown medium to coarse SAND with trace fine gravel	6	20	0	Moist - Wet	No odor
--- 22.0 ---							
--- 23.0 ---							
--- 24.0 ---							
--- 25.0 ---	CH	Hard gray CLAY with trace fine sand & fine gravel	7	30	0	Damp	No odor - Soil sample collected from 24-26'
--- 26.0 ---					0	Damp	No odor
--- 27.0 ---							
--- 28.0 ---							
--- 29.0 ---					0	Damp	No odor
--- 30.0 ---							
--- 31.0 ---							
--- 32.0 ---					0	Damp	No odor
--- 33.0 ---		End of Boring					
--- 34.0 ---							
--- 35.0 ---							
--- 36.0 ---							
--- 37.0 ---							
--- 38.0 ---							
--- 39.0 ---							
--- 40.0 ---							

NOTES: Soil probe terminated at 32' bgs
 Soil probe abandoned by backfilling with bentonite

Water sample collected from WBF-7S, labeled WBF-7WS, using a 1" PVC well casing with a 5' PVC screen.

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-8S**

Page 1 of 2

Time Started:	1120	File No.:	1894300-03
Time Completed:	1200	Client:	Muniz Joint Defense Group
Driller:	Bob (Paramount Env Serv)	Date:	4/14/2006
Helper:	Rob		WATER LEVEL DATA
Location:	2615 Curtiss St. Downers Grove, Illinois	NE NA	Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
---		Concrete					
--- 1.0 ---	ML	Light brown SILT with some fine sand & fine gravel			0	Damp	No odor
--- 2.0 ---	CL	Brown mottled light brown, dark brown, gray, and orange/red SILTY CLAY with trace fine sand & fine gravel	1	35	1.6	Damp	No odor - Soil sample collected from 2-4'
--- 3.0 ---					1.2	Damp	No odor
--- 4.0 ---					0	Damp	No odor
--- 5.0 ---							
--- 6.0 ---							
--- 7.0 ---							
--- 8.0 ---							
--- 9.0 ---	ML	Brown SILT with little fine sand & fine gravel			0	Damp	No odor
--- 10.0 ---	CL	Brown mottled light brown, dark brown, gray, and orange/red SILTY CLAY with trace fine sand & fine gravel	3	46	0	Damp	No odor
--- 11.0 ---					0	Damp	No odor
--- 12.0 ---							
--- 13.0 ---	CL	Brown SILTY CLAY with some fine sand & fine gravel	4	35	0	Damp	No odor
--- 14.0 ---					0	Damp	No odor
--- 15.0 ---							
--- 16.0 ---	SP	Gray and brown medium to coarse SAND with trace fine gravel					
--- 17.0 ---	CH	Brown CLAY with trace fine sand & fine gravel			0	Moist	No odor
--- 18.0 ---	CH	Hard gray CLAY with trace fine sand & fine gravel	5	43	0	Damp	No odor - Soil sample collected from 18-20'
--- 19.0 ---							
--- 20.0 ---							

NOTES:

Soil probe terminated at 28' bgs

Soil probe abandoned by backfilling with bentonite

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-8S**

Page 2 of 2

Time Started:	1120	File No.:	1894300-03
Time Completed:	1200	Client:	Muniz Joint Defense Group
Driller:	Bob (Paramount Env Serv)	Date:	4/14/2006
Helper:	Rob		WATER LEVEL DATA
Location:	2615 Curtiss St. Downers Grove, Illinois	NE NA	Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- 21.0 ---	CH	Hard gray CLAY with trace fine sand & fine gravel	6	44	0	Damp	No odor
--- 22.0 ---					0	Damp	No odor
--- 23.0 ---					0	Damp	No odor
--- 24.0 ---					0	Damp	No odor
--- 25.0 ---			7	46	0	Damp	No odor
--- 26.0 ---					0	Damp	No odor
--- 27.0 ---					0	Damp	No odor
--- 28.0 ---					0	Damp	No odor
--- 29.0 ---		End of Boring					
--- 30.0 ---							
--- 31.0 ---							
--- 32.0 ---							
--- 33.0 ---							
--- 34.0 ---							
--- 35.0 ---							
--- 36.0 ---							
--- 37.0 ---							
--- 38.0 ---							
--- 39.0 ---							
--- 40.0 ---							

NOTES:

Soil probe terminated at 28' bgs

Soil probe abandoned by backfilling with bentonite

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-9S**

Page 1 of 2

Time Started:	1300	File No.:	1894300-03
Time Completed:	1340	Client:	Muniz Joint Defense Group
Driller:	Bob (Paramount Env Serv)	Date:	4/14/2006
Helper:	Rob		WATER LEVEL DATA
Location:	2615 Curtiss St. Downers Grove, Illinois	NE NA	Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
--- 1.0 ---		Concrete					
--- 2.0 ---	ML	Brown SILT with some fine sand & fine gravel					
--- 3.0 ---							
--- 4.0 ---							
--- 5.0 ---							
--- 6.0 ---							
--- 7.0 ---							
--- 8.0 ---							
--- 9.0 ---							
--- 10.0 ---							
--- 11.0 ---							
--- 12.0 ---							
--- 13.0 ---							
--- 14.0 ---							
--- 15.0 ---							
--- 16.0 ---							
--- 17.0 ---							
--- 18.0 ---							
--- 19.0 ---							
--- 20.0 ---							
	CL	Brown mottled light brown, dark brown, gray, and red/orange SILTY CLAY with trace fine sand & fine gravel	1	38	0	Damp	No odor
					0	Damp	No odor
			2	34	0	Damp	No odor
					1.5	Damp - Moist	No odor - Soil sample collected from 6-8'
			3	38	0	Damp - Moist	No odor
					0	Damp - Moist	No odor
			4	42	0	Damp	No odor
	SP	Gray and brown medium to coarse SAND with trace fine gravel	5	20	0	Damp	No odor

NOTES:

Soil probe terminated at 28' bgs

Soil probe abandoned by backfilling with bentonite

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **WBF-9S**

Page 2 of 2

Time Started:	1300	File No.:	1894300-03
Time Completed:	1340	Client:	Muniz Joint Defense Group
Driller:	Bob (Paramount Env Serv)	Date:	4/14/2006
Helper:	Rob		WATER LEVEL DATA
Location:	2615 Curtiss St. Downers Grove, Illinois	NE NA	Ft WHILE DRILLING Ft AT COMPLETION

Logged By: John Low

SAMPLE DATA

BELOW GROUND SURFACE	USCS GROUP SYMBOL	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
---	SP	Gray/brown med. to coarse SAND with trace fs&fg				D - M	No odor - Soil sample collected from 20-22'
--- 21.0 ---	CH	Brown CLAY with trace fine sand & fine gravel			1.4		
--- 22.0 ---	CH	Hard gray CLAY with trace fine sand & fine gravel	6	42	0	Damp	No odor
--- 23.0 ---					0	Damp	No odor
--- 24.0 ---					0	Damp	No odor
--- 25.0 ---					0	Damp	No odor
--- 26.0 ---					0	Damp	No odor
--- 27.0 ---					0	Damp	No odor
--- 28.0 ---					0	Damp	No odor
--- 29.0 ---		End of Boring					
--- 30.0 ---							
--- 31.0 ---							
--- 32.0 ---							
--- 33.0 ---							
--- 34.0 ---							
--- 35.0 ---							
--- 36.0 ---							
--- 37.0 ---							
--- 38.0 ---							
--- 39.0 ---							
--- 40.0 ---							

NOTES: Soil probe terminated at 28' bgs Soil probe abandoned by backfilling with bentonite

Attachment D

Field Notes/Logs

4-11-06

44

TC

0630 JPL LEAVES 18° 20'S CLOUTERS ST,
MUNNERS GROVE (FUSILLES) TO DERRAM AREA
II E.A.

0730: JPL ARRIVES ON SITE (36 miles).
- MET CARL HANES ON SITE AND INCHED
OUTLINE LOCATIONS

0805: ARRIVERS ON SITE

TERRA NOVA - BRIAN

0825: ARRIVAL OF WBF-1 BEIJING

- PHOTO TAKEN OF WBF-1, CLIMBS,
GIVES 1000 SAMPLING TAGS

0945: ARRIVAL OF WBF-1 BEIJING BRILLIERS SET THE
TEMP. METER

• COLLECTED SOIL SAMPLE WBF-1 IS 12.14'
② 1055

• COLLECTED SOIL SAMPLE WBF-1 IS 24-26'

③ 1100

-2 PHOTOS TAKEN OF WBF-1 (FACADE NORTH;
FACADE EAST).

• ARRIVED WBF-1 SAMPLER JUST 1 HR Q. 12.05
- DUGGED 20 SAMPERS SAME LINE

1100: ARRIVED AT WBF-2 BEIJING

1100: REQUEST ENCOUNTERED @ 2.3' LOGS.
- SHOULDER SET TEMP. WELD TO 23'

4-11-66

(T)

4-12-66

45

(T)

1415 - Collected soil sample WBF-25 2-4' @ 1415.

1420 - Collected soil sample WBF-26 8-10' @ 1420.

1430 - Collected soil sample WBF-25 20-25' @ 1430.

1435 - Collected soil sample WBF-26 @ 1435

- 3 pictures taken of WBF-2 (East, south, southeast)

Southeast

1520: Drilling of WBF-3 begins.

1645: Collected soil sample WBF-35 4-6' @ 1645

1700: Collected soil sample WBF-35 20-24' @ 1700

1705: Drilling of WBF-3 ends.

- 1 photo taken of WBF-3 (east view).

1725: Drillers off site

1745: JPL OFF SITE

1840: JPL LEAVES SITE ANALYSIS AFTER
DROPPING SAMPLES OFF.

1900: JPL ARRIVES AT HOME. (72 MILES)

BIG: 11.5 hrs and 22 miles
\$ 1.60 tolls

230: Driving to WBF-5 begins.

1300: Brian encountered a refuse @ 10' bags. In
Having him move 1-2' E and push down to 0'.
discrete drill hole will resume @ 10'.

1400: Brian encountered a refuse in the 2nd hole
@ 13' bags. We moved E west of the original hole
and began driving @ 1430.

4-12-86

NOTE: ON BORING LOGS, 0-8' IS FROM 1ST BORING,
8-12' IS FROM 2ND BORING, 12'-24' IS FROM THE
3RD BORING.

1600: COLLECTED SOIL SAMPLE WBF-5A5 6-8'
THIS SAMPLE CAME FROM THE 1ST BORING
AT 8'-5', NOW CALLED SA(WBF-5A).

- NO SAMPLES WERE COLLECTED FROM THE
2ND BORING OF BORINGS 5, NOW CALLED
WBF-5B.

1620: COLLECTED SOIL SAMPLE WBF-5C5 14-16'.

1710: COLLECTED SOIL SAMPLE WBF-5E5 4-6'

1720: COLLECTED WHEAT SAMPLE WBF-5CW5.
NOTE: THERE WAS NOT WATER PRESENT IN
THESE BORINGS FROM 0-24', SO THE WHEAT
SAMPLE WAS COLLECTED FROM THE BORING
FROM 0-12'.

1730: 6 P.M.: ARRIVED AT BORING LOCATIONS
+ BUILDING REFERENCES PT3.

(7)

4-12-86

1800: COLLECTED SOIL SAMPLE WBF-5CS 22-24'
- NOTE SAMPLE WILL BE HELD WHILE
FOR IT TO CURE.

1815: JPL + DRILLER OFF SITE

1910: JPL LEAVES STAT AUTOMOTIVE AFTER
DROPPING SAMPLES OFF.

1930: JPL ARRIVES AT HOME (72 MILES)
BILL: 11.5 HRS + 22 MILES
\$1.60 TOLLS

(12)

4-14-86

47

0600: JPL LEAVES HOME FOR PHASE II SITE (a)

FUSION IN DRAVERS CREEK

36 miles

0705: JPL ARRIVES ON-SITE. MET w/ CBL &
DRILLERS (PETERSON & BURGESS, INC. SERVICES)
DISCRETE SAMPLES 101 (6620.07' THICK) & 000 PASS

0740: START DRILLING WBF-6

0830: DRILLING OF WBF-6 IS COMPLETE

0835: Collected soil sample WBF-6S 4-8'

0840: Collected soil sample WBF-6S 14-16'

BURNING IS 11' SOUTH OF NORTH WALL

160' EAST OF WEST WALL

34' WEST OF EAST EXTERIOR WALL

- 1 PHOTO TAKEN OF WBF-6 FACING N.E.

0905: DRILLING OF WBF-7 BEGINS

1005: DRILLING OF WBF-7 ENDS

1010 SOIL SAMPLE WBF-7S0 2' COLLECTED.

1630: SOIL SAMPLE WBF-7S 24-26' COLLECTED.

1645: WATER SAMPLE WBF-7W5 COLLECTED

- 1 PHOTO TAKEN OF WBF-7 FACING SW.

WBF-7 IS 24' WEST OF EAST EXTERIOR WALL

26' SOUTH OF NORTH EXTERIOR WALL

⑧

4-14-06

1120: DRILLING OF WBF-8 BEGINS

1200: DRILLING OF WBF-8 ENDS.

1205: COLLECTED SOIL SAMPLE WBF-8S 2-4'

1210: COLLECTED SOIL SAMPLE WBF-8S 18-20'

TOOK 20 MINUTES FOR CEMENT

BORING IS: 24' N OF SOUTH EXTERIOR WALL

15' E OF WEST EXTERIOR WALL

- 1 PHOTO TAKEN OF WBF-8 FACING SOUTH.

1300: DRILLING OF WBF-9 BEGINS

1340: DRILLING OF WBF-9 ENDS

1345: COLLECTED SOIL SAMPLE WBF-9S 6-8'

1355: COLLECTED SOIL SAMPLE WBF-9S 20-22'

- 1 PHOTO TAKEN OF WBF-9 FACING NORTH

WBF-9 IS: 9' SOUTH OF NORTH EXTERIOR WALL

45' E OF WEST EXTERIOR WALL

1430: JPL LEAVES THE SITE FOR THE DAY.

DRILLERS OFF-SITE.

1520: JPL LEAVES SITE ANALYSIS AFTER

DRILLING SAMPLES ARE

1545: JPL ARRIVES AT WBC OFFICE, KC OFFICE

BILL: \$7.75 KRS (22 miles)

\$160 TOTAL

WEAYER		Log of Soil Boring No.: SP-WBF-1								
BOOS										
CONSULTANTS										
NORTH CENTRAL, LLC										
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Time Started:	0825	File No.:	1894300-03					
		Time Completed:	1045	Client:	MUNIZ JOINT DEFENSE GROUP					
		Driller:	TERRA TRACE - BRAN	Date:	4-11-06					
		Helper:	GUILLEMOT	WATER LEVEL DATA						
		Location:	26015 CURTISS ST. DOWNERS GROVE, IL	75	10	Ft WHILE DRILLING				
				75	NA	Ft AT COMPLETION				
BELOW GROUND SURFACE		SAMPLE DATA								
SOIL DESCRIPTION		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS				
-- 1.0 --		1	40	0	DAMP	NO DDR				
-- 2.0 --						DAMP				
-- 3.0 --						DDR				
-- 4.0 --						NO DDR				
-- 5.0 --						DDAMP				
-- 6.0 --										
-- 7.0 --						NO DDR				
-- 8.0 --						DDAMP				
-- 9.0 --										
-- 10.0 --						NO				
-- 11.0 --		2	40	0	WET	NO DDR				
-- 12.0 --						DDAMP				
-- 13.0 --		3	37	0	MOIST	NO				
-- 14.0 --										
-- 15.0 --		4	26	4	MOIST	NO				
-- 16.0 --										
-- 17.0 --		5	18	0	DAMP	SAMPLE COLLECTED 1055 WBF 7S12-A				
-- 18.0 --										
-- 19.0 --										
-- 20.0 --										

NOTES: Soil probe terminated at ' bgs

WEAVER		Log of Soil Boring No.: SP WBF-1					
BOOS		Time Started: <u>0825</u>	File No.: <u>1894300-03</u>				
CONSULTANTS		Time Completed: <u>1045</u>	Client: <u>MUNIZ JOINT PROPERTY GROUP</u>				
NORTH CENTRAL, LLC		Driller: <u>BRIAN</u>	Date: <u>11-11-06</u>				
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper: <u>GUILHERMO</u>	WATER LEVEL DATA				
		Location: <u>2615 CLOUDS ST. DOWNTOWN CHICAGO, IL</u>	<u>10</u>	Ft WHILE DRILLING			
			<u>NA</u>	Ft AT COMPLETION			
BELOW GROUND SURFACE		SAMPLE DATA					
		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- 21.0 --		TIGHT GRAY CLAY w/ TRACE FINE SAND + FINE GRAVEL	6	17	0	DAMP	NO ODOR
-- 22.0 --				33	3	DAMP	SAMPLE COLLECTED NO ODOR WBR-15 24-26/1100
-- 23.0 --							
-- 24.0 --							
-- 25.0 --							
-- 26.0 --							
-- 27.0 --							
-- 28.0 --							
-- 29.0 --							
-- 30.0 --							
-- 31.0 --							
-- 32.0 --							
-- 33.0 --							
-- 34.0 --							
-- 35.0 --							
-- 36.0 --							
-- 17.0 --							
-- 18.0 --							
-- 19.0 --							
-- 20.0 --							
NOTES:		Soil probe terminated at <u>52'</u> bgs					

WEAVER		Log of Soil Boring No.: SP-WBF-Z					
BOOS		Time Started:	1220	File No.:	1894300-03		
CONSULTANTS		Time Completed:	1410	Client:	MUNIZ JANT DEFENSE GROUP		
NORTH CENTRAL, LLC		Driller:	TERRA-TRACE - BRIAN	Date:	4-11-06		
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:	GUILLERMO		WATER LEVEL DATA		
		Location:	7615 CAPTAIN ST. DOWNTOWN CHICAGO, IL		(DE 8)	Ft WHILE DRILLING	
				NA		Ft AT COMPLETION	
BELOW GROUND SURFACE		SOIL DESCRIPTION		SAMPLE DATA			
		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
1.0	ASHPALT + MED. SAND + FINE GRAVEL	1	40	4	DAMP	NO ODOR	
2.0	BL CLAY w/ TRACE FS + FG (TOPSOIL)			4.8		NO ODOR	
3.0						SAMPLE 1415 2-4'	
4.0	BL m GRAY AND ORANGE CLAY w/ TRACE FS + FG	2	39	3.2	DAMP	NO ODOR	
5.0				1.6			
6.0						NO ODOR	
7.0							
8.0							
9.0	SEAM BROWN SILTY SAND w/ TRACE FINE GRAVEL	3	43	4.9	MOIST - WET	SLIGHT SOLVENT ODOR SAMPLE 8-10 1420	
10.0	BR m. GRAY CLAY w/ TRACE SILT, TRACE FS + TRACE FINE GRAVEL			4.6		NO ODOR	
11.0				4.8	DAMP - MOIST		
12.0							
13.0							
14.0							
15.0							
16.0	GRAY, BROWN, RED MED.- COARSE SAND w/ SOME FINE GRAVEL	4	23	3.2	DAMP - MOIST	NO ODOR	
17.0							
18.0							
19.0							
20.0		5	17	3.4	DAMP	NO ODOR	
NOTES: Soil probe terminated at 23' bgs							

WEAVER		Log of Soil Boring No.: SP WBF - 2					
BOOS		Time Started:	1230	File No.:	1894300-03		
CONSULTANTS		Time Completed:	1410	Client:			
NORTH CENTRAL, LLC		Driller:		Date:			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:					
WATER LEVEL DATA							
Ft WHILE DRILLING							
Ft AT COMPLETION							
BELOW GROUND SURFACE		SOIL DESCRIPTION		SAMPLE DATA			
		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
--- 21.0 ---	60' MAX CLAY w/ TRACE FINE SAND + FINE GRAVEL		1	26	4.8	DAMP	NO odor Sample 20-23 1430
--- 22.0 ---							
--- 23.0 ---							
--- 24.0 ---	REFUSAL		2				
--- 25.0 ---							
--- 26.0 ---							
--- 27.0 ---							
--- 28.0 ---							
--- 29.0 ---							
--- 30.0 ---			3				
--- 31.0 ---							
--- 32.0 ---							
--- 33.0 ---							
--- 34.0 ---			4				
--- 35.0 ---							
--- 36.0 ---							
--- 17.0 ---							
--- 18.0 ---							
--- 19.0 ---							
--- 20.0 ---			5				
NOTES:		Soil probe terminated at 23' bgs					

WEAVER		Log of Soil Boring No.: SP-WBF-3						
BOOS		Time Started: 1520	File No.: 1894300-03					
CONSULTANTS		Time Completed: 1705	Client: MUNIZ JOINT DAPONE GROUP					
NORTH CENTRAL, LLC		Driller: BRIAN	Date: 4-11-06					
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper: GUILLERMO	WATER LEVEL DATA					
		Location: 2615 CURTIS ST. DOWNTOWN CHICAGO, IL	NE	Ft WHILE DRILLING				
			NA	Ft AT COMPLETION				
BELOW GROUND SURFACE		SOIL DESCRIPTION		SAMPLE DATA				
		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS		
---	1.0	1	39	1.6	D	NO ODOR		
---	2.0			2.6		NO ODOR		
---	3.0			2		6.4	NO ODOR SAMPLE COLLECTED 46'	
---	4.0					1.6	NO ODOR	
---	5.0					3	1.6	ODOR
---	6.0	4	0		NO ODOR			
---	7.0		20		1.2		NO ODOR	
---	8.0			1.4	NO ODOR			
---	9.0			20	NO ODOR			
---	10.0			5	20	NO ODOR		
---	11.0	20			NO ODOR			
---	12.0	20	NO ODOR					
---	13.0	20	NO ODOR					
---	14.0	20	NO ODOR					
---	15.0	20	NO ODOR					
---	16.0	20	NO ODOR					
---	17.0	20	NO ODOR					
---	18.0	20	NO ODOR					
---	19.0	20	NO ODOR					
---	20.0	20	NO ODOR					
NOTES: Soil probe terminated at 20' bgs								



WEAVER		Log of Soil Boring No.: SP-WBF-3					
BOOS		Time Started:	<u>1520</u>	File No.:	1894300-03		
CONSULTANTS		Time Completed:	<u>1705</u>	Client:			
NORTH CENTRAL, LLC		Driller:		Date:			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper			WATER LEVEL DATA Ft WHILE DRILLING Ft AT COMPLETION		
BELOW GROUND SURFACE		SOIL DESCRIPTION		SAMPLE DATA			
		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	Comments	
--- 21.0 ---		6	10	4.7	↓	No odor	
--- 22.0 ---							
--- 23.0 ---							
--- 24.0 ---							
--- 25.0 ---	BL. M. GRAY + ORANGE						
--- 26.0 ---	SILTY CLAY W/ LITTLE FST + FG ..	7	25	1.2	MOIST	No odor	
--- 27.0 ---							
--- 28.0 ---							
--- 29.0 ---	END OF BORING						
--- 30.0 ---		8					
--- 31.0 ---							
--- 32.0 ---							
--- 13.0 ---							
--- 14.0 ---							
--- 15.0 ---							
--- 16.0 ---							
--- 17.0 ---							
--- 18.0 ---		5					
--- 19.0 ---							
--- 20.0 ---							
NOTES: Soil probe terminated at <u>28</u> bgs							

WEAYER		Log of Soil Boring No. SP- WBF-4					
BOOS		Time Started: 0830	File No.: 1894300-03				
CONSULTANTS		Time Completed: 1145	Client: MUDF JINT DEFENSE GRP				
NORTH CENTRAL, LLC		Driller: TERRA TRACE - BRIAN	Date: 4-12-06				
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper: NONE	WATER LEVEL DATA				
		Location: 2615 CURTISS ST. DOWNTOWN GLENDALE, IL	DE	Ft WHILE DRILLING			
			NA	Ft AT COMPLETION			
BELOW GROUND (SURFACE)		SAMPLE DATA					
		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
---	1.0			3.0	D		
---	2.0		43			NO ODOR	
---	3.0			1.6		NO	
---	4.0						
---	5.0						
---	6.0		32	1.0	D	NO ODOR	
---	7.0			2.2		NO DDP	
---	8.0						
---	9.0						
---	10.0		35	0	D	NO DDP	
---	11.0			1.0		NO ODOR	
---	12.0						
---	13.0					ODOR	
---	14.0						
---	15.0						
---	16.0						
---	17.0						
---	18.0						
---	19.0						
---	20.0						
NOTES: Soil probe terminated at 32' bgs							

WEAVER		Log of Soil Boring No.: SP-WBF-4				
BOOS		Time Started:	0830	File No.:	1894300-03	
CONSULTANTS		Time Completed:		Client:		
NORTH CENTRAL, LLC		Driller:		Date:		
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:		WATER LEVEL DATA		
				Ft WHILE DRILLING		
				Ft AT COMPLETION		
BGS		SAMPLE DATA				
BELOW GROUND SURFACE	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
21.0	STIFF BR + SOFT CLAY TRACE FS+FG	1	38	2.1	m	No odor
22.0				3.4	d	No odor
23.0		2	46	2.9	d	Sample 1:55
24.0				3.2		No odor
25.0		3	44	3.1	d	No odor
26.0				3.0		No odor
27.0		4			d	No odor
28.0						No odor
29.0		5			d	No odor
30.0						No odor
31.0						
32.0						
13.0						
14.0						
15.0						
16.0						
17.0						
18.0						
19.0						
20.0						
NOTES: Soil probe terminated at 30' bgs						

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No. **SP-WBF-5**Time Started: **1230** File No.: **1894300-03**

Time Completed:

Driller: **TERRA-TRICE -BRIAN** Date: **4-12-06**

Helper:


WATER LEVEL DATA

Ft WHILE DRILLING

Ft AT COMPLETION

		SAMPLE DATA				
BELOW GROUND SURFACE	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
1.0	Brown med.- coarse sand w/ trace fine gravel	1	27	0	M-W	NO ODOR
2.0						
3.0						
4.0						
5.0	BR m BC SILTY CLAY w/ TRACE FS+FG	2	43	1.6	M-W	NO ODOR
6.0	BR. MOTTLED RED + GRAY CLAY w/ TRACE FS+FG			8	D	NO ODOR
7.0						
8.0						
9.0						
10.0						
SA						
58						
11.0						
12.0						
13.0						
14.0						
15.0						
16.0	SC					
17.0						
18.0						
19.0						
20.0	STIFF GRAY CLAY w/ TRACE FINE SAND + FINE GRAVEL	5	45	8	MOIST	NO ODOR SLIGHT ODOR
				0	DAMP	NO ODOR SLIGHT ODOR

NOTES: Soil probe terminated at 29' bgs



WEAVER		Log of Soil Boring No.: SP-				
BOOS		Time Started:	1250	File No.:	1894300-03	
CONSULTANTS		Time Completed:	1615	Client:		
NORTH CENTRAL, LLC		Driller:		Date:		
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:		WATER LEVEL DATA		
				Ft WHILE DRILLING		
				Ft AT COMPLETION		
SAMPLE DATA						
BELOW GROUND SURFACE	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
21.0						NO ODOUR
22.0	SC	1	40	3.2	D	
23.0				0		NO ODOUR
24.0						
5.0	END OF BORING	2				
6.0						
7.0						
8.0	SC (0-12)					
9.0	DRY SOIL					
10.0	BR MED. COARSE SAND W/ TRACE FINE GRAVEL					
11.0						
12.0						
13.0	CLAY + RED CLAY					
14.0						
15.0						
16.0						
17.0						
18.0						
19.0						
20.0						
NOTES: Soil probe terminated at 20 bgs						



WEAVER		Log of Soil Boring No.: SP-WBF-6				
BOOS		Time Started: 0740	File No.: 1894300-03			
CONSULTANTS		Time Completed: 0830	Client: MUNIZ JOINT DEFENSE GROUP			
NORTH CENTRAL, LLC		Driller: PARAMOUNT ENV. SERV. B&B	Date: 4-14-06			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper: Rob	WATER LEVEL DATA			
		Location: 2615 CURTIS ST. DOWNERS GROVE, IL	NE	Ft WHILE DRILLING		
			-	Ft AT COMPLETION		
BELOW GROUND SURFACE		SOIL DESCRIPTION		SAMPLE DATA		
		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
---	1.0					No odor
---	2.0					No odor
---	3.0					No odor
---	4.0					No odor
---	5.0					No odor
---	6.0					No odor
---	7.0					Soil sample collected
---	8.0					
---	9.0					
---	10.0					
---	11.0					
---	12.0					
---	13.0					
---	14.0					
---	15.0					
---	16.0					
---	17.0					
---	18.0					
---	19.0					
---	20.0					
NOTES: Soil probe terminated at 30 bgs						

WEAVER		Log of Soil Boring No.: SP-WBF-6					
BOOS		Time Started: 0740	File No.: 1894300-03				
CONSULTANTS		Time Completed:	Client:				
NORTH CENTRAL, LLC		Driller:	Date: 4-14-06				
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:	WATER LEVEL DATA Ft WHILE DRILLING Ft AT COMPLETION				
		Location:					
BELOW GROUND SURFACE		SOIL DESCRIPTION		SAMPLE DATA			
		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- 21.0 --	BENTONITE w/ TRACE PS+FG CLAY w/ TRACE PS+FG	6	33	1.6	0-m	NO ODOUR	
-- 22.0 --				0	A		
-- 23.0 --		46	0	NO ODOUR			
-- 24.0 --							
-- 25.0 --		24	0	NO ODOUR			
-- 26.0 --							
-- 27.0 --		8	0	ODOR			
-- 28.0 --							
-- 29.0 --		9	0	NO ODOUR			
-- 30.0 --							
-- 31.0 --	10						
-- 32.0 --							
-- 13.0 --							
-- 14.0 --							
-- 15.0 --							
-- 16.0 --							
-- 17.0 --							
-- 18.0 --							
-- 19.0 --							
-- 20.0 --							
NOTES		Soil probe terminated at 24' bgs					

WEAVER		Log of Soil Boring No.: SP-WBF-7				
BOOS		Time Started: D905	File No.: 1894300-03			
CONSULTANTS		Time Completed: 1005	Client: MUNIZ JEWELERS INC			
NORTH CENTRAL, LLC		Driller: BIB	Date: 4-14-06			
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper: RAB		WATER LEVEL DATA		
		Location: 765 Cypress St. DAUNERS GROVE, IL	NE	Ft WHILE DRILLING		
			NA	Ft AT COMPLETION		
SAMPLE DATA						
BELOW GROUND SURFACE	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
---	---					
1.0	CONCRETE B M LB SILTY CLAY WT TRACE FS+FG	1	36	0		NO ODOR SOIL SAMPLE COLLECTED
2.0	LB SILT W/ TRACE FS+FG					
3.0	LB M LB + RED/ORANGE SILTY CLAY WT W/ TRACE FS+FG			0		NO ODOR
4.0						
5.0						NO ODOR
6.0						
7.0						NO ODOR
8.0						
9.0						
10.0						
11.0						
12.0						
13.0						
14.0	MED - COARSE SAND wt AND TRACE FG SOME	3	WINER CRINKLED AND TO BE SAMPLED 0			DO NOT BE TAKEN OUT
15.0						
16.0						
17.0						
18.0						
19.0						
20.0	BR CLAY WT TRACE FS+FG	4	25	0	D	NO ODOR
		5	26	0	D	
NOTES:	Soil probe terminated at 32' bgs					

WEAVER		Log of Soil Boring No.: SP- WBF - 7					
BOOS		Time Started: <u>0905</u>	File No.: 1894300-03				
CONSULTANTS		Time Completed: <u>1005</u>	Client:				
NORTH CENTRAL, LLC		Helper:	Date: <u>4-14-06</u>				
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Location:	WATER LEVEL DATA Ft WHILE DRILLING Ft AT COMPLETION				
BELOW GROUND SURFACE		SOIL DESCRIPTION		SAMPLE DATA			
		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
-- Z1.0 --	MED-COARSE SAND w/ AUS TRACE FG SOME	b	20	0	M- W	NO DDR	
-- Z2.0 --							
-- Z3.0 --							
-- Z4.0 --							
-- Z5.0 --	TIGHT GRAY CLAY w/ TRACE FS + FG	f	30	0		NO DDR SOIL SAMPLE NOT COLLECTED	
-- Z6.0 --							
-- Z7.0 --				0		NO DDR	
-- Z8.0 --							
-- Z9.0 --							
-- Z10.0 --							
-- Z11.0 --							
-- Z12.0 --							
-- Z13.0 --	END OF BORING	g	38	0	D	NO DDR	
-- Z14.0 --							
-- Z15.0 --							
-- Z16.0 --							
-- Z17.0 --							
-- Z18.0 --							
-- Z19.0 --							
-- Z20.0 --							
NOTES: Soil probe terminated at 22' bgs							

WEAVER		Log of Soil Boring No.: SP-WBF-8					
BOOS		Time Started:	<u>1120</u>	File No.:	1894300-03		
CONSULTANTS		Time Completed:	<u>1220</u>	Client:	MUNIZ JOINT DEFENSE GROUP		
NORTH CENTRAL, LLC		Driller:	<u>BOB</u>	Date:	<u>4-14-02</u>		
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:	<u>RUB</u>	WATER LEVEL DATA			
		Location:	<u>2605 CULROSS ST.</u>	<u>20</u>	Ft WHILE DRILLING		
			<u>DOWNTOWN GROVE, IL</u>	<u>NA</u>	Ft AT COMPLETION		
BELOW GROUND SURFACE		SOIL DESCRIPTION		SAMPLE DATA			
		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
---	1.0			0		ODOR	
---	2.0	B SILTY CLAY w/ GRAY + RED SILTY CLAY w/ TRACE FS	35	0	D	NO ODOR	
---	3.0			1.6		SAMPLE COLLECTED	
---	4.0					NO ODOR	
---	5.0			1.2		NO ODOR	
---	6.0				D	NO ODOR	
---	7.0			0		NO ODOR	
---	8.0					NO ODOR	
---	9.0	SEAM B. SILT w/ LITTLE FS+FG		0	DAMP	NO ODOR	
---	10.0					NO ODOR	
---	11.0			0		NO ODOR	
---	12.0					NO ODOR	
---	13.0	B. SILTY CLAY w/ SOME FINE S + FG		0	D	NO ODOR	
---	14.0				D	NO	
---	15.0			0	D	NO	
---	16.0	BR MED-COARSE SAND AND FINE GRAVEL		0		NO ODOR	
---	17.0	TIGHT GRAY CLAY w/ TRACE FS+FG		0		NO ODOR	
---	18.0				D	NO ODOR	
---	19.0	TIGHT GRAY CLAY w/ TRACE FS + FG		0		SAMPLE COLLECTED	
---	20.0						
NOTES:		Soil probe terminated at <u>26</u> bgs					

WEAVER		Log of Soil Boring No.: SP- WBF-8					
BOOS		Time Started: 1200	File No.: 1894300-03				
CONSULTANTS		Time Completed: 1200	Client:				
NORTH CENTRAL, LLC		Driller:	Date: 4-14-06				
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:	WATER LEVEL DATA Ft WHILE DRILLING Ft AT COMPLETION				
		Location:					
SAMPLE DATA							
BELOW GROUND SURFACE	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS	
21.0	Soil description: END OF BORING	1	44	0	No odor	No odor	
22.0				0			
23.0		2	46	0			
24.0				0			
25.0		3		0			
26.0				0			
27.0	4		0				
28.0			0				
9.0	Soil description: END OF BORING	5		No odor	No odor	No odor	
10.0							
11.0							
12.0							
13.0							
14.0							
15.0							
16.0							
17.0							
18.0							
19.0							
20.0							

NOTES:

Soil probe terminated at 26 bgs

WEAVER		Log of Soil Boring No.: SP wBF-9				
BOOS		Time Started:	1300	File No.:	1894300-03	
CONSULTANTS		Time Completed:	1340	Client:		
NORTH CENTRAL, LLC		Driller:		Date:	4-14-06	
GEO-ENVIRONMENTAL ENGINEERS AND SCIENTISTS		Helper:		WATER LEVEL DATA		
		Location:		Ft WHILE DRILLING		
				Ft AT COMPLETION		
BELOW GROUND SURFACE		SOIL DESCRIPTION		SAMPLE DATA		
		SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
-- 1.0 --	<u>CONCRETE</u> <u>BR SILT w/ SOME FS+FG</u>	1	38	0	D	No odor
-- 2.0 --	<u>DARK BR / BT m-fg</u>			0		No odor
-- 3.0 --	<u>GRAY + RED/ORANGE SILTY CLAY w/ TRACE FS+FG</u>	2	34	0	D	No odor
-- 4.0 --				1.5		0-m
-- 5.0 --		3	38	0	0-m	No odor
-- 6.0 --				0		0-m
-- 7.0 --		4	42	0	D	No odor
-- 8.0 --				0		0-m
-- 9.0 --		5	20	0	D	No odor
-- 10.0 --				0		0-m
-- 11.0 --		3	38	0	0-m	No odor
-- 12.0 --				0		0-m
-- 13.0 --		4	42	0	D	No odor
-- 14.0 --				0		0-m
-- 15.0 --		5	20	0	D	No odor
-- 16.0 --	<u>BR MEDIUM - COARSE SAND AND PINE GRAVEL</u>			0		0-m
-- 17.0 --		3	38	0	0-m	No odor
-- 18.0 --				0		0-m
-- 19.0 --		4	42	0	D	No odor
-- 20.0 --				0		0-m
NOTES: Soil probe terminated at 28' bgs						

WEAVER**BOOS****CONSULTANTS****NORTH CENTRAL, LLC****GEO-ENVIRONMENTAL ENGINEERS
AND SCIENTISTS**Log of Soil Boring No.: **SP-WBF-**Time Started: 1300 File No.: 1894300-03Time Completed: 1344 Client:Helper: Date: 4-14-06

WATER LEVEL DATA

Ft WHILE DRILLING

Ft AT COMPLETION

		SAMPLE DATA				
BELOW GROUND SURFACE	SOIL DESCRIPTION	SAMPLE I.D. NO.	RECOVERY (in.)	PID (ppm)	Moisture Content	COMMENTS
-- 1.0 --	BR CLAY w/ TRACE PS+FG				0-m	No odor
-- 2.0 --	STIFF GRAY CLAY w/ TRACE PS	1	4	1.4	D	SOIL SAMPLE COLLECTED
-- 23.0 --				0	D	No odor
-- 24.0 --				0		
-- 25.0 --		2	44	0	D	No odor
-- 26.0 --				0		
-- 27.0 --				0		No odor
-- 28.0 --						
-- 9.0 --	END OF BORING	3				
-- 10.0 --						
-- 11.0 --						
-- 12.0 --						
-- 13.0 --						
-- 14.0 --		4				
-- 15.0 --						
-- 16.0 --						
-- 17.0 --						
-- 18.0 --		5				
-- 19.0 --						
-- 20.0 --						

NOTES:

Soil probe terminated at 28 bgs

Attachment E

Laboratory Analytical Reports

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

April 19, 2006

Weaver Boos
70 W. Madison, Suite 4250
Chicago, IL 60602
Telephone: (877) 654-5241
Fax: (312) 922-0201

RE: 1894300-03, Fusibond, Downers Grove, IL

STAT Project No: 06040246

Dear Carl Dawes:


STAT Analysis received 9 samples for the referenced project on 4/11/2006. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 563-0371.

Sincerely,



Jennifer Hass

Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory.

Client: Weaver Boos
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab Order: 06040246

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06040246-001A	WBF-1S 12-14'		4/11/2006 10:55:00 AM	4/11/2006
06040246-001B	WBF-1S 12-14'		4/11/2006 10:55:00 AM	4/11/2006
06040246-002A	WBF-1S 24-26'		4/11/2006 11:00:00 AM	4/11/2006
06040246-002B	WBF-1S 24-26'		4/11/2006 11:00:00 AM	4/11/2006
06040246-003A	WBF-1WS		4/11/2006 12:00:00 PM	4/11/2006
06040246-004A	WBF-2S 2-4'		4/11/2006 2:15:00 PM	4/11/2006
06040246-004B	WBF-2S 2-4'		4/11/2006 2:15:00 PM	4/11/2006
06040246-005A	WBF-2S 8-10'		4/11/2006 2:20:00 PM	4/11/2006
06040246-005B	WBF-2S 8-10'		4/11/2006 2:20:00 PM	4/11/2006
06040246-006A	WBF-2S 20-23'		4/11/2006 2:30:00 PM	4/11/2006
06040246-006B	WBF-2S 20-23'		4/11/2006 2:30:00 PM	4/11/2006
06040246-007A	WBF-2WS		4/11/2006 2:55:00 PM	4/11/2006
06040246-008A	WBF-3S 4-6'		4/11/2006 4:45:00 PM	4/11/2006
06040246-008B	WBF-3S 4-6'		4/11/2006 4:45:00 PM	4/11/2006
06040246-009A	WBF-3S 20-24'		4/11/2006 5:10:00 PM	4/11/2006
06040246-009B	WBF-3S 20-24'		4/11/2006 5:10:00 PM	4/11/2006

CLIENT: Weaver Boos
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab Order: 06040246

CASE NARRATIVE

In VOC water LCS/LCSD analyzed 04/12/06, Bromoform had low recovery (68%/69% recovery, QC Limits 70-130%).

In VOC soil LCS/LCSD analyzed 04/17/06 (VOA-2_060417B) , 4-Bromofluorobenzene surrogate had high recovery in LCS (112% recovery, QC Limits 63-110%).

Due to high sediment content, the aqueous phase from sample WBF-2WS (06040246-007) was decanted prior to analysis for VOCs.

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 19, 2006

Date Printed: April 19, 2006

Client: Weaver Boos
Lab Order: 06040246
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040246-001

Client Sample ID: WBF-1S 12-14'**Collection Date:** 4/11/2006 10:55:00 AM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/12/2006		Analyst: PS
Acetone	ND	0.04		mg/Kg-dry	1	4/18/2006
Benzene	ND	0.004		mg/Kg-dry	1	4/18/2006
Bromodichloromethane	ND	0.004		mg/Kg-dry	1	4/18/2006
Bromoform	ND	0.004		mg/Kg-dry	1	4/18/2006
Bromomethane	ND	0.008		mg/Kg-dry	1	4/18/2006
2-Butanone	ND	0.008		mg/Kg-dry	1	4/18/2006
Carbon disulfide	ND	0.004		mg/Kg-dry	1	4/18/2006
Carbon tetrachloride	ND	0.004		mg/Kg-dry	1	4/18/2006
Chlorobenzene	ND	0.004		mg/Kg-dry	1	4/18/2006
Dibromochloromethane	ND	0.004		mg/Kg-dry	1	4/18/2006
Chloroethane	ND	0.008		mg/Kg-dry	1	4/18/2006
Chloroform	ND	0.004		mg/Kg-dry	1	4/18/2006
Chloromethane	ND	0.008		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethane	ND	0.004		mg/Kg-dry	1	4/18/2006
1,2-Dichloroethane	ND	0.004		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethene	ND	0.004		mg/Kg-dry	1	4/18/2006
cis-1,2-Dichloroethene	ND	0.004		mg/Kg-dry	1	4/18/2006
trans-1,2-Dichloroethene	ND	0.004		mg/Kg-dry	1	4/18/2006
1,2-Dichloropropane	ND	0.004		mg/Kg-dry	1	4/18/2006
cis-1,3-Dichloropropene	ND	0.004		mg/Kg-dry	1	4/18/2006
trans-1,3-Dichloropropene	ND	0.004		mg/Kg-dry	1	4/18/2006
Ethylbenzene	ND	0.004		mg/Kg-dry	1	4/18/2006
2-Hexanone	ND	0.008		mg/Kg-dry	1	4/18/2006
4-Methyl-2-pentanone	ND	0.008		mg/Kg-dry	1	4/18/2006
Methylene chloride	ND	0.008		mg/Kg-dry	1	4/18/2006
Methyl tert-butyl ether	ND	0.004		mg/Kg-dry	1	4/18/2006
Styrene	ND	0.004		mg/Kg-dry	1	4/18/2006
1,1,2,2-Tetrachloroethane	ND	0.004		mg/Kg-dry	1	4/18/2006
Tetrachloroethene	ND	0.004		mg/Kg-dry	1	4/18/2006
Toluene	ND	0.004		mg/Kg-dry	1	4/18/2006
1,1,1-Trichloroethane	ND	0.004		mg/Kg-dry	1	4/18/2006
1,1,2-Trichloroethane	ND	0.004		mg/Kg-dry	1	4/18/2006
Trichloroethene	ND	0.004		mg/Kg-dry	1	4/18/2006
Vinyl chloride	ND	0.004		mg/Kg-dry	1	4/18/2006
Xylenes, Total	ND	0.012		mg/Kg-dry	1	4/18/2006
Percent Moisture		D2974		Prep Date: 4/14/2006		Analyst: ICD
Percent Moisture		13.8	0.01	*	wt%	4/17/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 19, 2006

Date Printed: April 19, 2006

Client:	Weaver Boos	Client Sample ID:	WBF-1S 24-26'
Lab Order:	06040246	Collection Date:	4/11/2006 11:00:00 AM
Project:	1894300-03, Fusibond, Downers Grove, IL	Matrix:	Soil
Lab ID:	06040246-002		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B		Prep Date: 4/12/2006		Analyst: PS
Acetone	ND	0.049		mg/Kg-dry	1	4/18/2006
Benzene	ND	0.0049		mg/Kg-dry	1	4/18/2006
Bromodichloromethane	ND	0.0049		mg/Kg-dry	1	4/18/2006
Bromoform	ND	0.0049		mg/Kg-dry	1	4/18/2006
Bromomethane	ND	0.0099		mg/Kg-dry	1	4/18/2006
2-Butanone	ND	0.0099		mg/Kg-dry	1	4/18/2006
Carbon disulfide	ND	0.0049		mg/Kg-dry	1	4/18/2006
Carbon tetrachloride	ND	0.0049		mg/Kg-dry	1	4/18/2006
Chlorobenzene	ND	0.0049		mg/Kg-dry	1	4/18/2006
Dibromochloromethane	ND	0.0049		mg/Kg-dry	1	4/18/2006
Chloroethane	ND	0.0099		mg/Kg-dry	1	4/18/2006
Chloroform	ND	0.0049		mg/Kg-dry	1	4/18/2006
Chloromethane	ND	0.0099		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethane	ND	0.0049		mg/Kg-dry	1	4/18/2006
1,2-Dichloroethane	ND	0.0049		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethene	ND	0.0049		mg/Kg-dry	1	4/18/2006
cis-1,2-Dichloroethene	ND	0.0049		mg/Kg-dry	1	4/18/2006
trans-1,2-Dichloroethene	ND	0.0049		mg/Kg-dry	1	4/18/2006
1,2-Dichloropropane	ND	0.0049		mg/Kg-dry	1	4/18/2006
cis-1,3-Dichloropropene	ND	0.0049		mg/Kg-dry	1	4/18/2006
trans-1,3-Dichloropropene	ND	0.0049		mg/Kg-dry	1	4/18/2006
Ethylbenzene	ND	0.0049		mg/Kg-dry	1	4/18/2006
2-Hexanone	ND	0.0099		mg/Kg-dry	1	4/18/2006
4-Methyl-2-pentanone	ND	0.0099		mg/Kg-dry	1	4/18/2006
Methylene chloride	ND	0.0099		mg/Kg-dry	1	4/18/2006
Methyl tert-butyl ether	ND	0.0049		mg/Kg-dry	1	4/18/2006
Styrene	ND	0.0049		mg/Kg-dry	1	4/18/2006
1,1,2,2-Tetrachloroethane	ND	0.0049		mg/Kg-dry	1	4/18/2006
Tetrachloroethene	0.051	0.0049		mg/Kg-dry	1	4/18/2006
Toluene	ND	0.0049		mg/Kg-dry	1	4/18/2006
1,1,1-Trichloroethane	0.02	0.0049		mg/Kg-dry	1	4/18/2006
1,1,2-Trichloroethane	ND	0.0049		mg/Kg-dry	1	4/18/2006
Trichloroethene	0.0082	0.0049		mg/Kg-dry	1	4/18/2006
Vinyl chloride	ND	0.0049		mg/Kg-dry	1	4/18/2006
Xylenes, Total	ND	0.015		mg/Kg-dry	1	4/18/2006
Percent Moisture	D2974			Prep Date: 4/14/2006		Analyst: ICD
Percent Moisture	17.8	0.01	*	wt%	1	4/17/2006

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- HT - Sample received past holding time
- * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 19, 2006**Date Printed:** April 19, 2006

Client: Weaver Boos
Lab Order: 06040246
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040246-003

Client Sample ID: WBF-1WS**Collection Date:** 4/11/2006 12:00:00 PM**Matrix:** Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW8260B (SW5030B)		Prep Date:		Analyst: SK
Acetone	ND	0.01		mg/L	1	4/12/2006
Benzene	ND	0.005		mg/L	1	4/12/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/12/2006
Bromoform	ND	0.005		mg/L	1	4/12/2006
Bromomethane	ND	0.01		mg/L	1	4/12/2006
2-Butanone	ND	0.01		mg/L	1	4/12/2006
Carbon disulfide	ND	0.005		mg/L	1	4/12/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/12/2006
Chlorobenzene	ND	0.005		mg/L	1	4/12/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/12/2006
Chloroethane	ND	0.01		mg/L	1	4/12/2006
Chloroform	ND	0.005		mg/L	1	4/12/2006
Chloromethane	ND	0.01		mg/L	1	4/12/2006
1,1-Dichloroethane	ND	0.005		mg/L	1	4/12/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/12/2006
1,1-Dichloroethene	ND	0.005		mg/L	1	4/12/2006
cis-1,2-Dichloroethene	ND	0.005		mg/L	1	4/12/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/12/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/12/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/12/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/12/2006
Ethylbenzene	ND	0.005		mg/L	1	4/12/2006
2-Hexanone	ND	0.01		mg/L	1	4/12/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/12/2006
Methylene chloride	ND	0.005		mg/L	1	4/12/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/12/2006
Styrene	ND	0.005		mg/L	1	4/12/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/12/2006
Tetrachloroethene	0.036	0.005		mg/L	1	4/12/2006
Toluene	ND	0.005		mg/L	1	4/12/2006
1,1,1-Trichloroethane	0.013	0.005		mg/L	1	4/12/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/12/2006
Trichloroethene	ND	0.005		mg/L	1	4/12/2006
Vinyl chloride	ND	0.002		mg/L	1	4/12/2006
Xylenes, Total	ND	0.015		mg/L	1	4/12/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 19, 2006

Date Printed: April 19, 2006

Client: Weaver Boos
Lab Order: 06040246
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040246-004

Client Sample ID: WBF-2S 2-4'**Collection Date:** 4/11/2006 2:15:00 PM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/12/2006	Analyst: PS
Acetone	0.069	0.053		mg/Kg-dry	1	4/18/2006
Benzene	ND	0.0053		mg/Kg-dry	1	4/18/2006
Bromodichloromethane	ND	0.0053		mg/Kg-dry	1	4/18/2006
Bromoform	ND	0.0053		mg/Kg-dry	1	4/18/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/18/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/18/2006
Carbon disulfide	ND	0.0053		mg/Kg-dry	1	4/18/2006
Carbon tetrachloride	ND	0.0053		mg/Kg-dry	1	4/18/2006
Chlorobenzene	ND	0.0053		mg/Kg-dry	1	4/18/2006
Dibromochloromethane	ND	0.0053		mg/Kg-dry	1	4/18/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/18/2006
Chloroform	ND	0.0053		mg/Kg-dry	1	4/18/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethane	ND	0.0053		mg/Kg-dry	1	4/18/2006
1,2-Dichloroethane	ND	0.0053		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethene	ND	0.0053		mg/Kg-dry	1	4/18/2006
cis-1,2-Dichloroethene	ND	0.0053		mg/Kg-dry	1	4/18/2006
trans-1,2-Dichloroethene	ND	0.0053		mg/Kg-dry	1	4/18/2006
1,2-Dichloropropane	ND	0.0053		mg/Kg-dry	1	4/18/2006
cis-1,3-Dichloropropene	ND	0.0053		mg/Kg-dry	1	4/18/2006
trans-1,3-Dichloropropene	ND	0.0053		mg/Kg-dry	1	4/18/2006
Ethylbenzene	ND	0.0053		mg/Kg-dry	1	4/18/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/18/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/18/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/18/2006
Methyl tert-butyl ether	ND	0.0053		mg/Kg-dry	1	4/18/2006
Styrene	ND	0.0053		mg/Kg-dry	1	4/18/2006
1,1,2,2-Tetrachloroethane	ND	0.0053		mg/Kg-dry	1	4/18/2006
Tetrachloroethene	ND	0.0053		mg/Kg-dry	1	4/18/2006
Toluene	ND	0.0053		mg/Kg-dry	1	4/18/2006
1,1,1-Trichloroethane	ND	0.0053		mg/Kg-dry	1	4/18/2006
1,1,2-Trichloroethane	ND	0.0053		mg/Kg-dry	1	4/18/2006
Trichloroethene	ND	0.0053		mg/Kg-dry	1	4/18/2006
Vinyl chloride	ND	0.0053		mg/Kg-dry	1	4/18/2006
Xylenes, Total	ND	0.016		mg/Kg-dry	1	4/18/2006
Percent Moisture						
Percent Moisture	D2974				Prep Date: 4/14/2006	Analyst: ICD
		20.80	0.01	*	wt%	1
						4/17/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 19, 2006

Date Printed: April 19, 2006

Client: Weaver Boos
Lab Order: 06040246
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040246-005

Client Sample ID: WBF-2S 8-10'**Collection Date:** 4/11/2006 2:20:00 PM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/12/2006	Analyst: PS
Acetone	ND	0.054		mg/Kg-dry	1	4/18/2006
Benzene	ND	0.0054		mg/Kg-dry	1	4/18/2006
Bromodichloromethane	ND	0.0054		mg/Kg-dry	1	4/18/2006
Bromoform	ND	0.0054		mg/Kg-dry	1	4/18/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/18/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/18/2006
Carbon disulfide	ND	0.0054		mg/Kg-dry	1	4/18/2006
Carbon tetrachloride	ND	0.0054		mg/Kg-dry	1	4/18/2006
Chlorobenzene	ND	0.0054		mg/Kg-dry	1	4/18/2006
Dibromochloromethane	ND	0.0054		mg/Kg-dry	1	4/18/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/18/2006
Chloroform	ND	0.0054		mg/Kg-dry	1	4/18/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethane	0.021	0.0054		mg/Kg-dry	1	4/18/2006
1,2-Dichloroethane	ND	0.0054		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethene	0.0064	0.0054		mg/Kg-dry	1	4/18/2006
cis-1,2-Dichloroethene	ND	0.0054		mg/Kg-dry	1	4/18/2006
trans-1,2-Dichloroethene	ND	0.0054		mg/Kg-dry	1	4/18/2006
1,2-Dichloropropane	ND	0.0054		mg/Kg-dry	1	4/18/2006
cis-1,3-Dichloropropene	ND	0.0054		mg/Kg-dry	1	4/18/2006
trans-1,3-Dichloropropene	ND	0.0054		mg/Kg-dry	1	4/18/2006
Ethylbenzene	ND	0.0054		mg/Kg-dry	1	4/18/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/18/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/18/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/18/2006
Methyl tert-butyl ether	ND	0.0054		mg/Kg-dry	1	4/18/2006
Styrene	ND	0.0054		mg/Kg-dry	1	4/18/2006
1,1,2,2-Tetrachloroethane	ND	0.0054		mg/Kg-dry	1	4/18/2006
Tetrachloroethene	0.014	0.0054		mg/Kg-dry	1	4/18/2006
Toluene	ND	0.0054		mg/Kg-dry	1	4/18/2006
1,1,1-Trichloroethane	4.7	0.25		mg/Kg-dry	50	4/18/2006
1,1,2-Trichloroethane	ND	0.0054		mg/Kg-dry	1	4/18/2006
Trichloroethene	0.018	0.0054		mg/Kg-dry	1	4/18/2006
Vinyl chloride	ND	0.0054		mg/Kg-dry	1	4/18/2006
Xylenes, Total	ND	0.016		mg/Kg-dry	1	4/18/2006
Percent Moisture		D2974			Prep Date: 4/14/2006	Analyst: ICD
Percent Moisture	15.4	0.01	*	wt%	1	4/17/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 19, 2006

Date Printed: April 19, 2006

Client:	Weaver Boos	Client Sample ID:	WBF-2S 20-23'
Lab Order:	06040246	Collection Date:	4/11/2006 2:30:00 PM
Project:	1894300-03, Fusibond, Downers Grove, IL	Matrix:	Soil
Lab ID:	06040246-006		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/12/2006	Analyst: PS
Acetone	ND	0.041		mg/Kg-dry	1	4/18/2006
Benzene	ND	0.0041		mg/Kg-dry	1	4/18/2006
Bromodichloromethane	ND	0.0041		mg/Kg-dry	1	4/18/2006
Bromoform	ND	0.0041		mg/Kg-dry	1	4/18/2006
Bromomethane	ND	0.0082		mg/Kg-dry	1	4/18/2006
2-Butanone	ND	0.0082		mg/Kg-dry	1	4/18/2006
Carbon disulfide	ND	0.0041		mg/Kg-dry	1	4/18/2006
Carbon tetrachloride	ND	0.0041		mg/Kg-dry	1	4/18/2006
Chlorobenzene	ND	0.0041		mg/Kg-dry	1	4/18/2006
Dibromochloromethane	ND	0.0041		mg/Kg-dry	1	4/18/2006
Chloroethane	ND	0.0082		mg/Kg-dry	1	4/18/2006
Chloroform	ND	0.0041		mg/Kg-dry	1	4/18/2006
Chloromethane	ND	0.0082		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethane	ND	0.0041		mg/Kg-dry	1	4/18/2006
1,2-Dichloroethane	ND	0.0041		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethene	ND	0.0041		mg/Kg-dry	1	4/18/2006
cis-1,2-Dichloroethene	ND	0.0041		mg/Kg-dry	1	4/18/2006
trans-1,2-Dichloroethene	ND	0.0041		mg/Kg-dry	1	4/18/2006
1,2-Dichloropropane	ND	0.0041		mg/Kg-dry	1	4/18/2006
cis-1,3-Dichloropropene	ND	0.0041		mg/Kg-dry	1	4/18/2006
trans-1,3-Dichloropropene	ND	0.0041		mg/Kg-dry	1	4/18/2006
Ethylbenzene	ND	0.0041		mg/Kg-dry	1	4/18/2006
2-Hexanone	ND	0.0082		mg/Kg-dry	1	4/18/2006
4-Methyl-2-pentanone	ND	0.0082		mg/Kg-dry	1	4/18/2006
Methylene chloride	ND	0.0082		mg/Kg-dry	1	4/18/2006
Methyl tert-butyl ether	ND	0.0041		mg/Kg-dry	1	4/18/2006
Styrene	ND	0.0041		mg/Kg-dry	1	4/18/2006
1,1,2,2-Tetrachloroethane	ND	0.0041		mg/Kg-dry	1	4/18/2006
Tetrachloroethene	ND	0.0041		mg/Kg-dry	1	4/18/2006
Toluene	ND	0.0041		mg/Kg-dry	1	4/18/2006
1,1,1-Trichloroethane	ND	0.0041		mg/Kg-dry	1	4/18/2006
1,1,2-Trichloroethane	ND	0.0041		mg/Kg-dry	1	4/18/2006
Trichloroethene	ND	0.0041		mg/Kg-dry	1	4/18/2006
Vinyl chloride	ND	0.0041		mg/Kg-dry	1	4/18/2006
Xylenes, Total	ND	0.012		mg/Kg-dry	1	4/18/2006
Percent Moisture	D2974			Prep Date: 4/14/2006	Analyst: ICD	
Percent Moisture	11.7	0.01	*	wt%	1	4/17/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 19, 2006**Date Printed:** April 19, 2006

Client: Weaver Boos
Lab Order: 06040246
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040246-007

Client Sample ID: WBF-2WS**Collection Date:** 4/11/2006 2:55:00 PM**Matrix:** Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW8260B (SW5030B)		Prep Date:		Analyst: SK
Acetone	0.015	0.01		mg/L	1	4/12/2006
Benzene	ND	0.005		mg/L	1	4/12/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/12/2006
Bromoform	ND	0.005		mg/L	1	4/12/2006
Bromomethane	ND	0.01		mg/L	1	4/12/2006
2-Butanone	ND	0.01		mg/L	1	4/12/2006
Carbon disulfide	ND	0.005		mg/L	1	4/12/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/12/2006
Chlorobenzene	ND	0.005		mg/L	1	4/12/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/12/2006
Chloroethane	ND	0.01		mg/L	1	4/12/2006
Chloroform	ND	0.005		mg/L	1	4/12/2006
Chloromethane	ND	0.01		mg/L	1	4/12/2006
1,1-Dichloroethane	0.11	0.005		mg/L	1	4/12/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/12/2006
1,1-Dichloroethene	0.0052	0.005		mg/L	1	4/12/2006
cis-1,2-Dichloroethene	0.0085	0.005		mg/L	1	4/12/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/12/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/12/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/12/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/12/2006
Ethylbenzene	ND	0.005		mg/L	1	4/12/2006
2-Hexanone	ND	0.01		mg/L	1	4/12/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/12/2006
Methylene chloride	ND	0.005		mg/L	1	4/12/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/12/2006
Styrene	ND	0.005		mg/L	1	4/12/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/12/2006
Tetrachloroethene	ND	0.005		mg/L	1	4/12/2006
Toluene	ND	0.005		mg/L	1	4/12/2006
1,1,1-Trichloroethane	0.17	0.005		mg/L	1	4/12/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/12/2006
Trichloroethene	ND	0.005		mg/L	1	4/12/2006
Vinyl chloride	ND	0.002		mg/L	1	4/12/2006
Xylenes, Total	ND	0.015		mg/L	1	4/12/2006

ND - Not Detected at the Reporting Limit

Qualifiers: J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

HT - Sample received past holding time

* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 19, 2006

Date Printed: April 19, 2006

Client: Weaver Boos
Lab Order: 06040246
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040246-008

Client Sample ID: WBF-3S 4-6'**Collection Date:** 4/11/2006 4:45:00 PM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/12/2006	Analyst: PS
Acetone	0.13	0.067		mg/Kg-dry	1	4/18/2006
Benzene	ND	0.0067		mg/Kg-dry	1	4/18/2006
Bromodichloromethane	ND	0.0067		mg/Kg-dry	1	4/18/2006
Bromoform	ND	0.0067		mg/Kg-dry	1	4/18/2006
Bromomethane	ND	0.013		mg/Kg-dry	1	4/18/2006
2-Butanone	0.015	0.013		mg/Kg-dry	1	4/18/2006
Carbon disulfide	ND	0.0067		mg/Kg-dry	1	4/18/2006
Carbon tetrachloride	ND	0.0067		mg/Kg-dry	1	4/18/2006
Chlorobenzene	ND	0.0067		mg/Kg-dry	1	4/18/2006
Dibromochloromethane	ND	0.0067		mg/Kg-dry	1	4/18/2006
Chloroethane	ND	0.013		mg/Kg-dry	1	4/18/2006
Chloroform	ND	0.0067		mg/Kg-dry	1	4/18/2006
Chloromethane	ND	0.013		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethane	ND	0.0067		mg/Kg-dry	1	4/18/2006
1,2-Dichloroethane	ND	0.0067		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethene	ND	0.0067		mg/Kg-dry	1	4/18/2006
cis-1,2-Dichloroethene	ND	0.0067		mg/Kg-dry	1	4/18/2006
trans-1,2-Dichloroethene	ND	0.0067		mg/Kg-dry	1	4/18/2006
1,2-Dichloropropane	ND	0.0067		mg/Kg-dry	1	4/18/2006
cis-1,3-Dichloropropene	ND	0.0067		mg/Kg-dry	1	4/18/2006
trans-1,3-Dichloropropene	ND	0.0067		mg/Kg-dry	1	4/18/2006
Ethylbenzene	ND	0.0067		mg/Kg-dry	1	4/18/2006
2-Hexanone	ND	0.013		mg/Kg-dry	1	4/18/2006
4-Methyl-2-pentanone	ND	0.013		mg/Kg-dry	1	4/18/2006
Methylene chloride	ND	0.013		mg/Kg-dry	1	4/18/2006
Methyl tert-butyl ether	ND	0.0067		mg/Kg-dry	1	4/18/2006
Styrene	ND	0.0067		mg/Kg-dry	1	4/18/2006
1,1,2,2-Tetrachloroethane	ND	0.0067		mg/Kg-dry	1	4/18/2006
Tetrachloroethene	ND	0.0067		mg/Kg-dry	1	4/18/2006
Toluene	ND	0.0067		mg/Kg-dry	1	4/18/2006
1,1,1-Trichloroethane	ND	0.0067		mg/Kg-dry	1	4/18/2006
1,1,2-Trichloroethane	ND	0.0067		mg/Kg-dry	1	4/18/2006
Trichloroethene	ND	0.0067		mg/Kg-dry	1	4/18/2006
Vinyl chloride	ND	0.0067		mg/Kg-dry	1	4/18/2006
Xylenes, Total	ND	0.02		mg/Kg-dry	1	4/18/2006
Percent Moisture		D2974			Prep Date: 4/14/2006	Analyst: ICD
Percent Moisture		20.9	0.01	*	wt%	1
						4/17/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 19, 2006

Date Printed: April 19, 2006

Client: Weaver Boos **Client Sample ID:** WBF-3S 20-24'
Lab Order: 06040246 **Collection Date:** 4/11/2006 5:10:00 PM
Project: 1894300-03, Fusibond, Downers Grove, IL **Matrix:** Soil
Lab ID: 06040246-009

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/12/2006	Analyst: PS
Acetone	0.087	0.052		mg/Kg-dry	1	4/18/2006
Benzene	ND	0.0052		mg/Kg-dry	1	4/18/2006
Bromodichloromethane	ND	0.0052		mg/Kg-dry	1	4/18/2006
Bromoform	ND	0.0052		mg/Kg-dry	1	4/18/2006
Bromomethane	ND	0.01		mg/Kg-dry	1	4/18/2006
2-Butanone	0.016	0.01		mg/Kg-dry	1	4/18/2006
Carbon disulfide	ND	0.0052		mg/Kg-dry	1	4/18/2006
Carbon tetrachloride	ND	0.0052		mg/Kg-dry	1	4/18/2006
Chlorobenzene	ND	0.0052		mg/Kg-dry	1	4/18/2006
Dibromochloromethane	ND	0.0052		mg/Kg-dry	1	4/18/2006
Chloroethane	ND	0.01		mg/Kg-dry	1	4/18/2006
Chloroform	ND	0.0052		mg/Kg-dry	1	4/18/2006
Chloromethane	ND	0.01		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethane	ND	0.0052		mg/Kg-dry	1	4/18/2006
1,2-Dichloroethane	ND	0.0052		mg/Kg-dry	1	4/18/2006
1,1-Dichloroethene	ND	0.0052		mg/Kg-dry	1	4/18/2006
cis-1,2-Dichloroethene	ND	0.0052		mg/Kg-dry	1	4/18/2006
trans-1,2-Dichloroethene	ND	0.0052		mg/Kg-dry	1	4/18/2006
1,2-Dichloropropane	ND	0.0052		mg/Kg-dry	1	4/18/2006
cis-1,3-Dichloropropene	ND	0.0052		mg/Kg-dry	1	4/18/2006
trans-1,3-Dichloropropene	ND	0.0052		mg/Kg-dry	1	4/18/2006
Ethylbenzene	ND	0.0052		mg/Kg-dry	1	4/18/2006
2-Hexanone	ND	0.01		mg/Kg-dry	1	4/18/2006
4-Methyl-2-pentanone	ND	0.01		mg/Kg-dry	1	4/18/2006
Methylene chloride	ND	0.01		mg/Kg-dry	1	4/18/2006
Methyl tert-butyl ether	ND	0.0052		mg/Kg-dry	1	4/18/2006
Styrene	ND	0.0052		mg/Kg-dry	1	4/18/2006
1,1,2,2-Tetrachloroethane	ND	0.0052		mg/Kg-dry	1	4/18/2006
Tetrachloroethene	0.014	0.0052		mg/Kg-dry	1	4/18/2006
Toluene	ND	0.0052		mg/Kg-dry	1	4/18/2006
1,1,1-Trichloroethane	0.008	0.0052		mg/Kg-dry	1	4/18/2006
1,1,2-Trichloroethane	ND	0.0052		mg/Kg-dry	1	4/18/2006
Trichloroethene	ND	0.0052		mg/Kg-dry	1	4/18/2006
Vinyl chloride	ND	0.0052		mg/Kg-dry	1	4/18/2006
Xylenes, Total	ND	0.016		mg/Kg-dry	1	4/18/2006
Percent Moisture		D2974			Prep Date: 4/14/2006	Analyst: ICD
Percent Moisture	6.25	0.01	*	wt%	1	4/17/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation
2255 W. Harrison Suite B, Chicago, Illinois 60612 Phone: (312) 733-0551 Fax: (312) 733-2386
e-mail address: STATinfo@STATAnalysis.com
AIHA, NVLAP and NELAP accredited

e-mail address: STATinfo@STATAnalysis.com *AIHA, NVLAP and NELAP accredited*

Nº: 811245 Page: _____ of _____

CHAIN OF CUSTODY RECORD

STAT Analysis Corporation

Sample Receipt Checklist

Client Name WEAVER BOOS

Date and Time Received: 04/11/2006

Work Order Number 06040246

Received by: JC

Checklist completed by:

Jessee Carter
Signature
Date 4/11/06

Reviewed by: *JCA*
Initials 4/13/06
Date

Matrix

Carrier name Client Delivered

Shipping container/cooler in good condition? Yes No Not Present

Custody seals intact on shipping container/cooler? Yes No Not Present

Custody seals intact on sample bottles? Yes No Not Present

Chain of custody present? Yes No

Chain of custody signed when relinquished and received? Yes No

Chain of custody agrees with sample labels/containers? Yes No

Samples in proper container/bottle? Yes No

Sample containers intact? Yes No

Sufficient sample volume for indicated test? Yes No

All samples received within holding time? Yes No

Container or Temp Blank temperature in compliance? Yes No Temperature 5 °C

Water - VOA vials have zero headspace? No VOA vials submitted Yes No

Water - Samples pH checked? Yes No Checked by:

Water - Samples properly preserved? Yes No pH Adjusted?

Any No response must be detailed in the comments section below.

Comments: *Headspace was present in Sample WBF-2WS (1 and 2 of 2).*

Client / Person contacted:

Carl Dawes

Date contacted:

4/13/06

Contacted by: *Jennifer Hass*

Response:

Proceed with analysis

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

April 20, 2006

Weaver Boos
70 W. Madison, Suite 4250
Chicago, IL 60602
Telephone: (877) 654-5241
Fax: (312) 922-0201

RE: 1894300-03, Fusibond, Downers Grove, IL

STAT Project No: 06040289

Dear Carl Dawes:


STAT Analysis received 7 samples for the referenced project on 4/12/2006. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 563-0371.

Sincerely,



Chris Forst

Assistant Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory.

Client: Weaver Boos
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab Order: 06040289

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06040289-001A	WBF-4S 14-16'		4/12/2006 11:50:00 AM	4/12/2006
06040289-001B	WBF-4S 14-16'		4/12/2006 11:50:00 AM	4/12/2006
06040289-002A	WBF-4S 22-24'		4/12/2006 11:55:00 AM	4/12/2006
06040289-002B	WBF-4S 22-24'		4/12/2006 11:55:00 AM	4/12/2006
06040289-003A	WBF-5AS 6-8'		4/12/2006 4:00:00 PM	4/12/2006
06040289-003B	WBF-5AS 6-8'		4/12/2006 4:00:00 PM	4/12/2006
06040289-004A	WBF-5CS 14-16'		4/12/2006 4:20:00 PM	4/12/2006
06040289-004B	WBF-5CS 14-16'		4/12/2006 4:20:00 PM	4/12/2006
06040289-005A	WBF-5CS 4-6'		4/12/2006 5:10:00 PM	4/12/2006
06040289-005B	WBF-5CS 4-6'		4/12/2006 5:10:00 PM	4/12/2006
06040289-006A	WBF-5CWS		4/12/2006 5:20:00 PM	4/12/2006
06040289-007A	WBF-5CS 22-24'		4/12/2006 6:00:00 PM	4/12/2006
06040289-007B	WBF-5CS 22-24'		4/12/2006 6:00:00 PM	4/12/2006

CLIENT: Weaver Boos
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab Order: 06040289

CASE NARRATIVE

In VOC water LCS/LCSD analyzed 04/19/06 (VOA-1_060419A), Bromomethane had RPD greater than 20%.

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 20, 2006

Date Printed: April 20, 2006

Client: Weaver Boos
Lab Order: 06040289
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040289-001

Client Sample ID: WBF-4S 14-16'**Collection Date:** 4/12/2006 11:50:00 AM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS	SW5035/8260B			Prep Date: 4/13/2006		Analyst: SK
Acetone	ND	0.043		mg/Kg-dry	1	4/19/2006
Benzene	ND	0.0043		mg/Kg-dry	1	4/19/2006
Bromodichloromethane	ND	0.0043		mg/Kg-dry	1	4/19/2006
Bromoform	ND	0.0043		mg/Kg-dry	1	4/19/2006
Bromomethane	ND	0.0087		mg/Kg-dry	1	4/19/2006
2-Butanone	ND	0.0087		mg/Kg-dry	1	4/19/2006
Carbon disulfide	ND	0.0043		mg/Kg-dry	1	4/19/2006
Carbon tetrachloride	ND	0.0043		mg/Kg-dry	1	4/19/2006
Chlorobenzene	ND	0.0043		mg/Kg-dry	1	4/19/2006
Dibromochloromethane	ND	0.0043		mg/Kg-dry	1	4/19/2006
Chloroethane	ND	0.0087		mg/Kg-dry	1	4/19/2006
Chloroform	0.0068	0.0043		mg/Kg-dry	1	4/19/2006
Chloromethane	ND	0.0087		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethane	ND	0.0043		mg/Kg-dry	1	4/19/2006
1,2-Dichloroethane	ND	0.0043		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethene	ND	0.0043		mg/Kg-dry	1	4/19/2006
cis-1,2-Dichloroethene	ND	0.0043		mg/Kg-dry	1	4/19/2006
trans-1,2-Dichloroethene	ND	0.0043		mg/Kg-dry	1	4/19/2006
1,2-Dichloropropane	ND	0.0043		mg/Kg-dry	1	4/19/2006
cis-1,3-Dichloropropene	ND	0.0043		mg/Kg-dry	1	4/19/2006
trans-1,3-Dichloropropene	ND	0.0043		mg/Kg-dry	1	4/19/2006
Ethylbenzene	ND	0.0043		mg/Kg-dry	1	4/19/2006
2-Hexanone	ND	0.0087		mg/Kg-dry	1	4/19/2006
4-Methyl-2-pentanone	ND	0.0087		mg/Kg-dry	1	4/19/2006
Methylene chloride	ND	0.0087		mg/Kg-dry	1	4/19/2006
Methyl tert-butyl ether	ND	0.0043		mg/Kg-dry	1	4/19/2006
Styrene	ND	0.0043		mg/Kg-dry	1	4/19/2006
1,1,2,2-Tetrachloroethane	ND	0.0043		mg/Kg-dry	1	4/19/2006
Tetrachloroethene	ND	0.0043		mg/Kg-dry	1	4/19/2006
Toluene	ND	0.0043		mg/Kg-dry	1	4/19/2006
1,1,1-Trichloroethane	0.024	0.0043		mg/Kg-dry	1	4/19/2006
1,1,2-Trichloroethane	ND	0.0043		mg/Kg-dry	1	4/19/2006
Trichloroethene	0.042	0.0043		mg/Kg-dry	1	4/19/2006
Vinyl chloride	ND	0.0043		mg/Kg-dry	1	4/19/2006
Xylenes, Total	ND	0.013		mg/Kg-dry	1	4/19/2006

Percent Moisture	D2974			Prep Date: 4/17/2006		Analyst: ICD
Percent Moisture	4.17	0.01	*	wt%	1	4/18/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 20, 2006

Date Printed: April 20, 2006

Client: Weaver Boos
Lab Order: 06040289
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040289-002

Client Sample ID: WBF-4S 22-24'
Collection Date: 4/12/2006 11:55:00 AM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B		Prep Date: 4/13/2006		Analyst: SK
Acetone	ND	0.049		mg/Kg-dry	1	4/19/2006
Benzene	ND	0.0049		mg/Kg-dry	1	4/19/2006
Bromodichloromethane	ND	0.0049		mg/Kg-dry	1	4/19/2006
Bromoform	ND	0.0049		mg/Kg-dry	1	4/19/2006
Bromomethane	ND	0.0097		mg/Kg-dry	1	4/19/2006
2-Butanone	ND	0.0097		mg/Kg-dry	1	4/19/2006
Carbon disulfide	ND	0.0049		mg/Kg-dry	1	4/19/2006
Carbon tetrachloride	ND	0.0049		mg/Kg-dry	1	4/19/2006
Chlorobenzene	ND	0.0049		mg/Kg-dry	1	4/19/2006
Dibromochloromethane	ND	0.0049		mg/Kg-dry	1	4/19/2006
Chloroethane	ND	0.0097		mg/Kg-dry	1	4/19/2006
Chloroform	ND	0.0049		mg/Kg-dry	1	4/19/2006
Chloromethane	ND	0.0097		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethane	0.084	0.0049		mg/Kg-dry	1	4/19/2006
1,2-Dichloroethane	ND	0.0049		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethene	0.0084	0.0049		mg/Kg-dry	1	4/19/2006
cis-1,2-Dichloroethene	0.005	0.0049		mg/Kg-dry	1	4/19/2006
trans-1,2-Dichloroethene	ND	0.0049		mg/Kg-dry	1	4/19/2006
1,2-Dichloropropane	ND	0.0049		mg/Kg-dry	1	4/19/2006
cis-1,3-Dichloropropene	ND	0.0049		mg/Kg-dry	1	4/19/2006
trans-1,3-Dichloropropene	ND	0.0049		mg/Kg-dry	1	4/19/2006
Ethylbenzene	ND	0.0049		mg/Kg-dry	1	4/19/2006
2-Hexanone	ND	0.0097		mg/Kg-dry	1	4/19/2006
4-Methyl-2-pentanone	ND	0.0097		mg/Kg-dry	1	4/19/2006
Methylene chloride	ND	0.0097		mg/Kg-dry	1	4/19/2006
Methyl tert-butyl ether	ND	0.0049		mg/Kg-dry	1	4/19/2006
Styrene	ND	0.0049		mg/Kg-dry	1	4/19/2006
1,1,2,2-Tetrachloroethane	ND	0.0049		mg/Kg-dry	1	4/19/2006
Tetrachloroethene	ND	0.0049		mg/Kg-dry	1	4/19/2006
Toluene	ND	0.0049		mg/Kg-dry	1	4/19/2006
1,1,1-Trichloroethane	0.093	0.0049		mg/Kg-dry	1	4/19/2006
1,1,2-Trichloroethane	ND	0.0049		mg/Kg-dry	1	4/19/2006
Trichloroethene	ND	0.0049		mg/Kg-dry	1	4/19/2006
Vinyl chloride	ND	0.0049		mg/Kg-dry	1	4/19/2006
Xylenes, Total	ND	0.015		mg/Kg-dry	1	4/19/2006
Percent Moisture		D2974		Prep Date: 4/17/2006		Analyst: ICD
Percent Moisture	15.7	0.01	*	wt%	1	4/18/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 20, 2006

Date Printed: April 20, 2006

Client: Weaver Boos
Lab Order: 06040289
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040289-003

Client Sample ID: WBF-5AS 6-8'**Collection Date:** 4/12/2006 4:00:00 PM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/13/2006		Analyst: SK
Acetone	ND	0.054		mg/Kg-dry	1	4/19/2006
Benzene	ND	0.0054		mg/Kg-dry	1	4/19/2006
Bromodichloromethane	ND	0.0054		mg/Kg-dry	1	4/19/2006
Bromoform	ND	0.0054		mg/Kg-dry	1	4/19/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/19/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/19/2006
Carbon disulfide	ND	0.0054		mg/Kg-dry	1	4/19/2006
Carbon tetrachloride	ND	0.0054		mg/Kg-dry	1	4/19/2006
Chlorobenzene	ND	0.0054		mg/Kg-dry	1	4/19/2006
Dibromochloromethane	ND	0.0054		mg/Kg-dry	1	4/19/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/19/2006
Chloroform	ND	0.0054		mg/Kg-dry	1	4/19/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethane	0.072	0.0054		mg/Kg-dry	1	4/19/2006
1,2-Dichloroethane	ND	0.0054		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethene	0.23	0.0054		mg/Kg-dry	1	4/19/2006
cis-1,2-Dichloroethene	0.034	0.0054		mg/Kg-dry	1	4/19/2006
trans-1,2-Dichloroethene	ND	0.0054		mg/Kg-dry	1	4/19/2006
1,2-Dichloropropane	ND	0.0054		mg/Kg-dry	1	4/19/2006
cis-1,3-Dichloropropene	ND	0.0054		mg/Kg-dry	1	4/19/2006
trans-1,3-Dichloropropene	ND	0.0054		mg/Kg-dry	1	4/19/2006
Ethylbenzene	ND	0.0054		mg/Kg-dry	1	4/19/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/19/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/19/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/19/2006
Methyl tert-butyl ether	ND	0.0054		mg/Kg-dry	1	4/19/2006
Styrene	ND	0.0054		mg/Kg-dry	1	4/19/2006
1,1,2,2-Tetrachloroethane	ND	0.0054		mg/Kg-dry	1	4/19/2006
Tetrachloroethene	3.5	0.5		mg/Kg-dry	100	4/19/2006
Toluene	ND	0.0054		mg/Kg-dry	1	4/19/2006
1,1,1-Trichloroethane	16	0.5		mg/Kg-dry	100	4/19/2006
1,1,2-Trichloroethane	0.0076	0.0054		mg/Kg-dry	1	4/19/2006
Trichloroethene	0.87	0.5		mg/Kg-dry	100	4/19/2006
Vinyl chloride	ND	0.0054		mg/Kg-dry	1	4/19/2006
Xylenes, Total	ND	0.016		mg/Kg-dry	1	4/19/2006
Percent Moisture		D2974		Prep Date: 4/17/2006		Analyst: ICD
Percent Moisture		18.6	0.01	*	wt%	4/18/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 20, 2006

Date Printed: April 20, 2006

Client: Weaver Boos
Lab Order: 06040289
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040289-004

Client Sample ID: WBF-5CS 14-16'
Collection Date: 4/12/2006 4:20:00 PM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/13/2006	Analyst: PS
Acetone	ND	0.049		mg/Kg-dry	1	4/19/2006
Benzene	ND	0.0049		mg/Kg-dry	1	4/19/2006
Bromodichloromethane	ND	0.0049		mg/Kg-dry	1	4/19/2006
Bromoform	ND	0.0049		mg/Kg-dry	1	4/19/2006
Bromomethane	ND	0.0097		mg/Kg-dry	1	4/19/2006
2-Butanone	ND	0.0097		mg/Kg-dry	1	4/19/2006
Carbon disulfide	ND	0.0049		mg/Kg-dry	1	4/19/2006
Carbon tetrachloride	ND	0.0049		mg/Kg-dry	1	4/19/2006
Chlorobenzene	ND	0.0049		mg/Kg-dry	1	4/19/2006
Dibromochloromethane	ND	0.0049		mg/Kg-dry	1	4/19/2006
Chloroethane	ND	0.0097		mg/Kg-dry	1	4/19/2006
Chloroform	ND	0.0049		mg/Kg-dry	1	4/19/2006
Chloromethane	ND	0.0097		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethane	0.07	0.0049		mg/Kg-dry	1	4/19/2006
1,2-Dichloroethane	ND	0.0049		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethene	0.099	0.0049		mg/Kg-dry	1	4/19/2006
cis-1,2-Dichloroethene	ND	0.0049		mg/Kg-dry	1	4/19/2006
trans-1,2-Dichloroethene	ND	0.0049		mg/Kg-dry	1	4/19/2006
1,2-Dichloropropane	ND	0.0049		mg/Kg-dry	1	4/19/2006
cis-1,3-Dichloropropene	ND	0.0049		mg/Kg-dry	1	4/19/2006
trans-1,3-Dichloropropene	ND	0.0049		mg/Kg-dry	1	4/19/2006
Ethylbenzene	ND	0.0049		mg/Kg-dry	1	4/19/2006
2-Hexanone	ND	0.0097		mg/Kg-dry	1	4/19/2006
4-Methyl-2-pentanone	ND	0.0097		mg/Kg-dry	1	4/19/2006
Methylene chloride	ND	0.0097		mg/Kg-dry	1	4/19/2006
Methyl tert-butyl ether	ND	0.0049		mg/Kg-dry	1	4/19/2006
Styrene	ND	0.0049		mg/Kg-dry	1	4/19/2006
1,1,2,2-Tetrachloroethane	ND	0.0049		mg/Kg-dry	1	4/19/2006
Tetrachloroethene	0.046	0.0049		mg/Kg-dry	1	4/19/2006
Toluene	ND	0.0049		mg/Kg-dry	1	4/19/2006
1,1,1-Trichloroethane	16	0.53		mg/Kg-dry	100	4/19/2006
1,1,2-Trichloroethane	ND	0.0049		mg/Kg-dry	1	4/19/2006
Trichloroethene	0.058	0.0049		mg/Kg-dry	1	4/19/2006
Vinyl chloride	ND	0.0049		mg/Kg-dry	1	4/19/2006
Xylenes, Total	ND	0.015		mg/Kg-dry	1	4/19/2006
Percent Moisture		D2974			Prep Date: 4/17/2006	Analyst: ICD
Percent Moisture		15.6	0.01	*	wt%	1
						4/18/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 20, 2006

Date Printed: April 20, 2006

Client: Weaver Boos
Lab Order: 06040289
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040289-005

Client Sample ID: WBF-5CS 4-6'**Collection Date:** 4/12/2006 5:10:00 PM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
			SW5035/8260B		Prep Date: 4/13/2006	Analyst: SK
Acetone	ND	0.072		mg/Kg-dry	1	4/19/2006
Benzene	ND	0.0072		mg/Kg-dry	1	4/19/2006
Bromodichloromethane	ND	0.0072		mg/Kg-dry	1	4/19/2006
Bromoform	ND	0.0072		mg/Kg-dry	1	4/19/2006
Bromomethane	ND	0.014		mg/Kg-dry	1	4/19/2006
2-Butanone	ND	0.014		mg/Kg-dry	1	4/19/2006
Carbon disulfide	ND	0.0072		mg/Kg-dry	1	4/19/2006
Carbon tetrachloride	ND	0.0072		mg/Kg-dry	1	4/19/2006
Chlorobenzene	ND	0.0072		mg/Kg-dry	1	4/19/2006
Dibromochloromethane	ND	0.0072		mg/Kg-dry	1	4/19/2006
Chloroethane	ND	0.014		mg/Kg-dry	1	4/19/2006
Chloroform	ND	0.0072		mg/Kg-dry	1	4/19/2006
Chloromethane	ND	0.014		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethane	1.5	1.2		mg/Kg-dry	200	4/19/2006
1,2-Dichloroethane	ND	0.0072		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethene	0.052	0.0072		mg/Kg-dry	1	4/19/2006
cis-1,2-Dichloroethene	0.12	0.0072		mg/Kg-dry	1	4/19/2006
trans-1,2-Dichloroethene	0.0083	0.0072		mg/Kg-dry	1	4/19/2006
1,2-Dichloropropane	ND	0.0072		mg/Kg-dry	1	4/19/2006
cis-1,3-Dichloropropene	ND	0.0072		mg/Kg-dry	1	4/19/2006
trans-1,3-Dichloropropene	ND	0.0072		mg/Kg-dry	1	4/19/2006
Ethylbenzene	0.01	0.0072		mg/Kg-dry	1	4/19/2006
2-Hexanone	ND	0.014		mg/Kg-dry	1	4/19/2006
4-Methyl-2-pentanone	ND	0.014		mg/Kg-dry	1	4/19/2006
Methylene chloride	ND	0.014		mg/Kg-dry	1	4/19/2006
Methyl tert-butyl ether	ND	0.0072		mg/Kg-dry	1	4/19/2006
Styrene	ND	0.0072		mg/Kg-dry	1	4/19/2006
1,1,2,2-Tetrachloroethane	ND	0.0072		mg/Kg-dry	1	4/19/2006
Tetrachloroethene	2.1	1.2		mg/Kg-dry	200	4/19/2006
Toluene	0.012	0.0072		mg/Kg-dry	1	4/19/2006
1,1,1-Trichloroethane	35	1.2		mg/Kg-dry	200	4/19/2006
1,1,2-Trichloroethane	ND	0.0072		mg/Kg-dry	1	4/19/2006
Trichloroethene	0.03	0.0072		mg/Kg-dry	1	4/19/2006
Vinyl chloride	ND	0.0072		mg/Kg-dry	1	4/19/2006
Xylenes, Total	ND	0.022		mg/Kg-dry	1	4/19/2006
Percent Moisture		D2974		Prep Date: 4/17/2006	Analyst: ICD	
Percent Moisture	20.0	0.01	*	wt%	1	4/18/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 20, 2006**Date Printed:** April 20, 2006

Client: Weaver Boos
Lab Order: 06040289
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040289-006

Client Sample ID: WBF-5CWS**Collection Date:** 4/12/2006 5:20:00 PM**Matrix:** Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW8260B (SW5030B)		Prep Date:		Analyst: GAW
Acetone	0.046	0.01		mg/L	1	4/19/2006
Benzene	ND	0.005		mg/L	1	4/19/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/19/2006
Bromoform	ND	0.005		mg/L	1	4/19/2006
Bromomethane	ND	0.01		mg/L	1	4/19/2006
2-Butanone	ND	0.01		mg/L	1	4/19/2006
Carbon disulfide	ND	0.005		mg/L	1	4/19/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/19/2006
Chlorobenzene	ND	0.005		mg/L	1	4/19/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/19/2006
Chloroethane	0.015	0.01		mg/L	1	4/19/2006
Chloroform	ND	0.005		mg/L	1	4/19/2006
Chloromethane	ND	0.01		mg/L	1	4/19/2006
1,1-Dichloroethane	0.29	0.05		mg/L	10	4/19/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/19/2006
1,1-Dichloroethene	0.022	0.005		mg/L	1	4/19/2006
cis-1,2-Dichloroethene	0.059	0.005		mg/L	1	4/19/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/19/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/19/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/19/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/19/2006
Ethylbenzene	ND	0.005		mg/L	1	4/19/2006
2-Hexanone	ND	0.01		mg/L	1	4/19/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/19/2006
Methylene chloride	ND	0.005		mg/L	1	4/19/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/19/2006
Styrene	ND	0.005		mg/L	1	4/19/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/19/2006
Tetrachloroethene	0.038	0.005		mg/L	1	4/19/2006
Toluene	ND	0.005		mg/L	1	4/19/2006
1,1,1-Trichloroethane	1.3	0.05		mg/L	10	4/19/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/19/2006
Trichloroethene	0.011	0.005		mg/L	1	4/19/2006
Vinyl chloride	ND	0.002		mg/L	1	4/19/2006
Xylenes, Total	ND	0.015		mg/L	1	4/19/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 20, 2006

Date Printed: April 20, 2006

Client: Weaver Boos
Lab Order: 06040289
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040289-007

Client Sample ID: WBF-5CS 22-24'
Collection Date: 4/12/2006 6:00:00 PM
Matrix: Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/13/2006		Analyst: SK
Acetone	ND	0.055		mg/Kg-dry	1	4/19/2006
Benzene	ND	0.0055		mg/Kg-dry	1	4/19/2006
Bromodichloromethane	ND	0.0055		mg/Kg-dry	1	4/19/2006
Bromoform	ND	0.0055		mg/Kg-dry	1	4/19/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/19/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/19/2006
Carbon disulfide	ND	0.0055		mg/Kg-dry	1	4/19/2006
Carbon tetrachloride	ND	0.0055		mg/Kg-dry	1	4/19/2006
Chlorobenzene	ND	0.0055		mg/Kg-dry	1	4/19/2006
Dibromochloromethane	ND	0.0055		mg/Kg-dry	1	4/19/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/19/2006
Chloroform	ND	0.0055		mg/Kg-dry	1	4/19/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethane	ND	0.0055		mg/Kg-dry	1	4/19/2006
1,2-Dichloroethane	ND	0.0055		mg/Kg-dry	1	4/19/2006
1,1-Dichloroethene	ND	0.0055		mg/Kg-dry	1	4/19/2006
cis-1,2-Dichloroethene	ND	0.0055		mg/Kg-dry	1	4/19/2006
trans-1,2-Dichloroethene	ND	0.0055		mg/Kg-dry	1	4/19/2006
1,2-Dichloropropane	ND	0.0055		mg/Kg-dry	1	4/19/2006
cis-1,3-Dichloropropene	ND	0.0055		mg/Kg-dry	1	4/19/2006
trans-1,3-Dichloropropene	ND	0.0055		mg/Kg-dry	1	4/19/2006
Ethylbenzene	ND	0.0055		mg/Kg-dry	1	4/19/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/19/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/19/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/19/2006
Methyl tert-butyl ether	ND	0.0055		mg/Kg-dry	1	4/19/2006
Styrene	ND	0.0055		mg/Kg-dry	1	4/19/2006
1,1,2,2-Tetrachloroethane	ND	0.0055		mg/Kg-dry	1	4/19/2006
Tetrachloroethene	ND	0.0055		mg/Kg-dry	1	4/19/2006
Toluene	ND	0.0055		mg/Kg-dry	1	4/19/2006
1,1,1-Trichloroethane	ND	0.0055		mg/Kg-dry	1	4/19/2006
1,1,2-Trichloroethane	ND	0.0055		mg/Kg-dry	1	4/19/2006
Trichloroethene	ND	0.0055		mg/Kg-dry	1	4/19/2006
Vinyl chloride	ND	0.0055		mg/Kg-dry	1	4/19/2006
Xylenes, Total	ND	0.016		mg/Kg-dry	1	4/19/2006
Percent Moisture		D2974		Prep Date: 4/17/2006		Analyst: ICD
Percent Moisture		15.8	0.01	*	wt%	4/18/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

Sample Receipt Checklist

Client Name WEAVER BOOS

Date and Time Received:

4/12/2006

Work Order Number 06040289

Received by: JC

Checklist completed by:

JesuCat

Date

4/12/06

Reviewed by:

JCH

Initials

4/13/06

Date

Matrix

Carrier name Client Delivered

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels/containers?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container or Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Temperature 2 °C
Water - VOA vials have zero headspace?	No VOA vials submitted <input type="checkbox"/>	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Water - Samples pH checked?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Checked by:
Water - Samples properly preserved?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	pH Adjusted?

Any No response must be detailed in the comments section below.

Comments: Headspace was present in sample WBF-5CWS (1 and 2 of 2).

Client / Person contacted:

Carl Davis

Date contacted:

4/13/06

Contacted by:

Jennifer Hass

Response:

Proceed with analysis

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

April 24, 2006

Weaver Boos
70 W. Madison, Suite 4250
Chicago, IL 60602
Telephone: (630) 717-4848
Fax: (630) 717-4850

RE: 1894300-03, Fusibond, Downers Grove, IL

STAT Project No: 06040381

Dear Carl Dawes:

STAT Analysis received 9 samples for the referenced project on 4/14/2006. The analytical results are presented in the following report.

All analyses were performed in accordance with the requirements of 35 IAC Part 186 / NELAC standards. Analyses were performed in accordance with methods as referenced on the analytical report. Those analytical results expressed on a dry weight basis are also noted on the analytical report.

All analyses were performed within established holding time criteria, and all Quality Control criteria met EPA or laboratory specifications except when noted in the Case Narrative or Analytical Report. If required, an estimate of uncertainty for the analyses can be provided. A listing of accredited methods/parameters can also be provided.

Thank you for the opportunity to serve you and I look forward to working with you in the future. If you have any questions regarding the enclosed materials, please contact me at (312) 563-0371.

Sincerely,



Chris Forst

Assistant Project Manager

The information contained in this report and any attachments is confidential information intended only for the use of the individual or entities named above. The results of this report relate only to the samples tested. If you have received this report in error, please notify us immediately by phone. This report shall not be reproduced, except in its entirety, unless written approval has been obtained from the laboratory.

Client: Weaver Boos
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab Order: 06040381

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
06040381-001A	WBF-6S 4-8'		4/14/2006 8:35:00 AM	4/14/2006
06040381-001B	WBF-6S 4-8'		4/14/2006 8:35:00 AM	4/14/2006
06040381-002A	WBF-6S 14-16'		4/14/2006 8:45:00 AM	4/14/2006
06040381-002B	WBF-6S 14-16'		4/14/2006 8:45:00 AM	4/14/2006
06040381-003A	WBF-7S 0-2'		4/14/2006 10:10:00 AM	4/14/2006
06040381-003B	WBF-7S 0-2'		4/14/2006 10:10:00 AM	4/14/2006
06040381-004A	WBF-7S 24-26'		4/14/2006 10:20:00 AM	4/14/2006
06040381-004B	WBF-7S 24-26'		4/14/2006 10:20:00 AM	4/14/2006
06040381-005A	WBF-7WS		4/14/2006 10:45:00 AM	4/14/2006
06040381-006A	WBF-8S 2-4'		4/14/2006 12:05:00 PM	4/14/2006
06040381-006B	WBF-8S 2-4'		4/14/2006 12:05:00 PM	4/14/2006
06040381-007A	WBF-8S 18-20'		4/14/2006 12:10:00 PM	4/14/2006
06040381-007B	WBF-8S 18-20'		4/14/2006 12:10:00 PM	4/14/2006
06040381-008A	WBF-9S 6-8'		4/14/2006 1:45:00 PM	4/14/2006
06040381-008B	WBF-9S 6-8'		4/14/2006 1:45:00 PM	4/14/2006
06040381-009A	WBF-9S 20-22'		4/14/2006 1:55:00 PM	4/14/2006
06040381-009B	WBF-9S 20-22'		4/14/2006 1:55:00 PM	4/14/2006

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 24, 2006

Date Printed: April 24, 2006

Client:	Weaver Boos	Client Sample ID:	WBF-6S 4-8'
Lab Order:	06040381	Collection Date:	4/14/2006 8:35:00 AM
Project:	1894300-03, Fusibond, Downers Grove, IL	Matrix:	Soil
Lab ID:	06040381-001		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
	SW5035/8260B			Prep Date: 4/17/2006		Analyst: PS
Acetone	ND	0.068		mg/Kg-dry	1	4/22/2006
Benzene	ND	0.0068		mg/Kg-dry	1	4/22/2006
Bromodichloromethane	ND	0.0068		mg/Kg-dry	1	4/22/2006
Bromoform	ND	0.0068		mg/Kg-dry	1	4/22/2006
Bromomethane	ND	0.014		mg/Kg-dry	1	4/22/2006
2-Butanone	ND	0.014		mg/Kg-dry	1	4/22/2006
Carbon disulfide	ND	0.0068		mg/Kg-dry	1	4/22/2006
Carbon tetrachloride	ND	0.0068		mg/Kg-dry	1	4/22/2006
Chlorobenzene	ND	0.0068		mg/Kg-dry	1	4/22/2006
Dibromochloromethane	ND	0.0068		mg/Kg-dry	1	4/22/2006
Chloroethane	ND	0.014		mg/Kg-dry	1	4/22/2006
Chloroform	ND	0.0068		mg/Kg-dry	1	4/22/2006
Chloromethane	ND	0.014		mg/Kg-dry	1	4/22/2006
1,1-Dichloroethane	ND	0.0068		mg/Kg-dry	1	4/22/2006
1,2-Dichloroethane	ND	0.0068		mg/Kg-dry	1	4/22/2006
1,1-Dichloroethene	ND	0.0068		mg/Kg-dry	1	4/22/2006
cis-1,2-Dichloroethene	ND	0.0068		mg/Kg-dry	1	4/22/2006
trans-1,2-Dichloroethene	ND	0.0068		mg/Kg-dry	1	4/22/2006
1,2-Dichloropropane	ND	0.0068		mg/Kg-dry	1	4/22/2006
cis-1,3-Dichloropropene	ND	0.0068		mg/Kg-dry	1	4/22/2006
trans-1,3-Dichloropropene	ND	0.0068		mg/Kg-dry	1	4/22/2006
Ethylbenzene	ND	0.0068		mg/Kg-dry	1	4/22/2006
2-Hexanone	ND	0.014		mg/Kg-dry	1	4/22/2006
4-Methyl-2-pentanone	ND	0.014		mg/Kg-dry	1	4/22/2006
Methylene chloride	ND	0.014		mg/Kg-dry	1	4/22/2006
Methyl tert-butyl ether	ND	0.0068		mg/Kg-dry	1	4/22/2006
Styrene	ND	0.0068		mg/Kg-dry	1	4/22/2006
1,1,2,2-Tetrachloroethane	ND	0.0068		mg/Kg-dry	1	4/22/2006
Tetrachloroethene	0.011	0.0068		mg/Kg-dry	1	4/22/2006
Toluene	ND	0.0068		mg/Kg-dry	1	4/22/2006
1,1,1-Trichloroethane	0.031	0.0068		mg/Kg-dry	1	4/22/2006
1,1,2-Trichloroethane	ND	0.0068		mg/Kg-dry	1	4/22/2006
Trichloroethene	0.011	0.0068		mg/Kg-dry	1	4/22/2006
Vinyl chloride	ND	0.0068		mg/Kg-dry	1	4/22/2006
Xylenes, Total	ND	0.02		mg/Kg-dry	1	4/22/2006
Percent Moisture	D2974			Prep Date: 4/18/2006		Analyst: RW
Percent Moisture	17.4	0.01	*	wt%	1	4/19/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 24, 2006

Date Printed: April 24, 2006

Client:	Weaver Boos	Client Sample ID:	WBF-6S 14-16'
Lab Order:	06040381	Collection Date:	4/14/2006 8:45:00 AM
Project:	1894300-03, Fusibond, Downers Grove, IL	Matrix:	Soil
Lab ID:	06040381-002		

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B		Prep Date: 4/17/2006		Analyst: PS
Acetone	ND	0.056		mg/Kg-dry	1	4/22/2006
Benzene	ND	0.0056		mg/Kg-dry	1	4/22/2006
Bromodichloromethane	ND	0.0056		mg/Kg-dry	1	4/22/2006
Bromoform	ND	0.0056		mg/Kg-dry	1	4/22/2006
Bromomethane	ND	0.011		mg/Kg-dry	1	4/22/2006
2-Butanone	ND	0.011		mg/Kg-dry	1	4/22/2006
Carbon disulfide	ND	0.0056		mg/Kg-dry	1	4/22/2006
Carbon tetrachloride	ND	0.0056		mg/Kg-dry	1	4/22/2006
Chlorobenzene	ND	0.0056		mg/Kg-dry	1	4/22/2006
Dibromochloromethane	ND	0.0056		mg/Kg-dry	1	4/22/2006
Chloroethane	ND	0.011		mg/Kg-dry	1	4/22/2006
Chloroform	ND	0.0056		mg/Kg-dry	1	4/22/2006
Chloromethane	ND	0.011		mg/Kg-dry	1	4/22/2006
1,1-Dichloroethane	0.011	0.0056		mg/Kg-dry	1	4/22/2006
1,2-Dichloroethane	ND	0.0056		mg/Kg-dry	1	4/22/2006
1,1-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/22/2006
cis-1,2-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/22/2006
trans-1,2-Dichloroethene	ND	0.0056		mg/Kg-dry	1	4/22/2006
1,2-Dichloropropane	ND	0.0056		mg/Kg-dry	1	4/22/2006
cis-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	4/22/2006
trans-1,3-Dichloropropene	ND	0.0056		mg/Kg-dry	1	4/22/2006
Ethylbenzene	ND	0.0056		mg/Kg-dry	1	4/22/2006
2-Hexanone	ND	0.011		mg/Kg-dry	1	4/22/2006
4-Methyl-2-pentanone	ND	0.011		mg/Kg-dry	1	4/22/2006
Methylene chloride	ND	0.011		mg/Kg-dry	1	4/22/2006
Methyl tert-butyl ether	ND	0.0056		mg/Kg-dry	1	4/22/2006
Styrene	ND	0.0056		mg/Kg-dry	1	4/22/2006
1,1,2,2-Tetrachloroethane	ND	0.0056		mg/Kg-dry	1	4/22/2006
Tetrachloroethene	0.034	0.0056		mg/Kg-dry	1	4/22/2006
Toluene	ND	0.0056		mg/Kg-dry	1	4/22/2006
1,1,1-Trichloroethane	0.11	0.0056		mg/Kg-dry	1	4/22/2006
1,1,2-Trichloroethane	ND	0.0056		mg/Kg-dry	1	4/22/2006
Trichloroethene	0.025	0.0056		mg/Kg-dry	1	4/22/2006
Vinyl chloride	ND	0.0056		mg/Kg-dry	1	4/22/2006
Xylenes, Total	ND	0.017		mg/Kg-dry	1	4/22/2006
Percent Moisture	D2974			Prep Date: 4/18/2006		Analyst: RW
Percent Moisture	16.6	0.01	*	wt%	1	4/19/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 24, 2006

Date Printed: April 24, 2006

Client: Weaver Boos
Lab Order: 06040381
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040381-003

Client Sample ID: WBF-7S 0-2'**Collection Date:** 4/14/2006 10:10:00 AM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/17/2006	Analyst: PS
Acetone	ND	0.055	mg/Kg-dry	1	4/22/2006
Benzene	ND	0.0055	mg/Kg-dry	1	4/22/2006
Bromodichloromethane	ND	0.0055	mg/Kg-dry	1	4/22/2006
Bromoform	ND	0.0055	mg/Kg-dry	1	4/22/2006
Bromomethane	ND	0.011	mg/Kg-dry	1	4/22/2006
2-Butanone	ND	0.011	mg/Kg-dry	1	4/22/2006
Carbon disulfide	0.044	0.0055	mg/Kg-dry	1	4/22/2006
Carbon tetrachloride	ND	0.0055	mg/Kg-dry	1	4/22/2006
Chlorobenzene	ND	0.0055	mg/Kg-dry	1	4/22/2006
Dibromochloromethane	ND	0.0055	mg/Kg-dry	1	4/22/2006
Chloroethane	ND	0.011	mg/Kg-dry	1	4/22/2006
Chloroform	ND	0.0055	mg/Kg-dry	1	4/22/2006
Chloromethane	ND	0.011	mg/Kg-dry	1	4/22/2006
1,1-Dichloroethane	ND	0.0055	mg/Kg-dry	1	4/22/2006
1,2-Dichloroethane	ND	0.0055	mg/Kg-dry	1	4/22/2006
1,1-Dichloroethene	ND	0.0055	mg/Kg-dry	1	4/22/2006
cis-1,2-Dichloroethene	ND	0.0055	mg/Kg-dry	1	4/22/2006
trans-1,2-Dichloroethene	ND	0.0055	mg/Kg-dry	1	4/22/2006
1,2-Dichloropropane	ND	0.0055	mg/Kg-dry	1	4/22/2006
cis-1,3-Dichloropropene	ND	0.0055	mg/Kg-dry	1	4/22/2006
trans-1,3-Dichloropropene	ND	0.0055	mg/Kg-dry	1	4/22/2006
Ethylbenzene	ND	0.0055	mg/Kg-dry	1	4/22/2006
2-Hexanone	ND	0.011	mg/Kg-dry	1	4/22/2006
4-Methyl-2-pentanone	ND	0.011	mg/Kg-dry	1	4/22/2006
Methylene chloride	ND	0.011	mg/Kg-dry	1	4/22/2006
Methyl tert-butyl ether	ND	0.0055	mg/Kg-dry	1	4/22/2006
Styrene	ND	0.0055	mg/Kg-dry	1	4/22/2006
1,1,2,2-Tetrachloroethane	ND	0.0055	mg/Kg-dry	1	4/22/2006
Tetrachloroethene	ND	0.0055	mg/Kg-dry	1	4/22/2006
Toluene	ND	0.0055	mg/Kg-dry	1	4/22/2006
1,1,1-Trichloroethane	ND	0.0055	mg/Kg-dry	1	4/22/2006
1,1,2-Trichloroethane	ND	0.0055	mg/Kg-dry	1	4/22/2006
Trichloroethene	ND	0.0055	mg/Kg-dry	1	4/22/2006
Vinyl chloride	ND	0.0055	mg/Kg-dry	1	4/22/2006
Xylenes, Total	ND	0.017	mg/Kg-dry	1	4/22/2006

Percent Moisture	D2974		Prep Date: 4/18/2006	Analyst: RW
Percent Moisture	15.8	0.01	*	4/19/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 24, 2006

Date Printed: April 24, 2006

Client: Weaver Boos
Lab Order: 06040381
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040381-004

Client Sample ID: WBF-7S 24-26'**Collection Date:** 4/14/2006 10:20:00 AM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B		Prep Date: 4/17/2006		Analyst: PS
Acetone	ND	0.04		mg/Kg-dry	1	4/22/2006
Benzene	ND	0.004		mg/Kg-dry	1	4/22/2006
Bromodichloromethane	ND	0.004		mg/Kg-dry	1	4/22/2006
Bromoform	ND	0.004		mg/Kg-dry	1	4/22/2006
Bromomethane	ND	0.008		mg/Kg-dry	1	4/22/2006
2-Butanone	ND	0.008		mg/Kg-dry	1	4/22/2006
Carbon disulfide	ND	0.004		mg/Kg-dry	1	4/22/2006
Carbon tetrachloride	ND	0.004		mg/Kg-dry	1	4/22/2006
Chlorobenzene	ND	0.004		mg/Kg-dry	1	4/22/2006
Dibromochloromethane	ND	0.004		mg/Kg-dry	1	4/22/2006
Chloroethane	ND	0.008		mg/Kg-dry	1	4/22/2006
Chloroform	ND	0.004		mg/Kg-dry	1	4/22/2006
Chloromethane	ND	0.008		mg/Kg-dry	1	4/22/2006
1,1-Dichloroethane	0.062	0.004		mg/Kg-dry	1	4/22/2006
1,2-Dichloroethane	ND	0.004		mg/Kg-dry	1	4/22/2006
1,1-Dichloroethene	ND	0.004		mg/Kg-dry	1	4/22/2006
cis-1,2-Dichloroethene	ND	0.004		mg/Kg-dry	1	4/22/2006
trans-1,2-Dichloroethene	ND	0.004		mg/Kg-dry	1	4/22/2006
1,2-Dichloropropane	ND	0.004		mg/Kg-dry	1	4/22/2006
cis-1,3-Dichloropropene	ND	0.004		mg/Kg-dry	1	4/22/2006
trans-1,3-Dichloropropene	ND	0.004		mg/Kg-dry	1	4/22/2006
Ethylbenzene	ND	0.004		mg/Kg-dry	1	4/22/2006
2-Hexanone	ND	0.008		mg/Kg-dry	1	4/22/2006
4-Methyl-2-pentanone	ND	0.008		mg/Kg-dry	1	4/22/2006
Methylene chloride	ND	0.008		mg/Kg-dry	1	4/22/2006
Methyl tert-butyl ether	ND	0.004		mg/Kg-dry	1	4/22/2006
Styrene	ND	0.004		mg/Kg-dry	1	4/22/2006
1,1,2,2-Tetrachloroethane	ND	0.004		mg/Kg-dry	1	4/22/2006
Tetrachloroethene	ND	0.004		mg/Kg-dry	1	4/22/2006
Toluene	ND	0.004		mg/Kg-dry	1	4/22/2006
1,1,1-Trichloroethane	0.0053	0.004		mg/Kg-dry	1	4/22/2006
1,1,2-Trichloroethane	ND	0.004		mg/Kg-dry	1	4/22/2006
Trichloroethene	ND	0.004		mg/Kg-dry	1	4/22/2006
Vinyl chloride	ND	0.004		mg/Kg-dry	1	4/22/2006
Xylenes, Total	ND	0.012		mg/Kg-dry	1	4/22/2006
Percent Moisture		D2974		Prep Date: 4/18/2006		Analyst: RW
Percent Moisture	10.7	0.01	*	wt%	1	4/19/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 24, 2006**Date Printed:** April 24, 2006

Client: Weaver Boos
Lab Order: 06040381
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040381-005

Client Sample ID: WBF-7WS**Collection Date:** 4/14/2006 10:45:00 AM**Matrix:** Water

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW8260B (SW5030B)		Prep Date:		Analyst: SK
Acetone	ND	0.01		mg/L	1	4/20/2006
Benzene	ND	0.005		mg/L	1	4/20/2006
Bromodichloromethane	ND	0.005		mg/L	1	4/20/2006
Bromoform	ND	0.005		mg/L	1	4/20/2006
Bromomethane	ND	0.01		mg/L	1	4/20/2006
2-Butanone	ND	0.01		mg/L	1	4/20/2006
Carbon disulfide	ND	0.005		mg/L	1	4/20/2006
Carbon tetrachloride	ND	0.005		mg/L	1	4/20/2006
Chlorobenzene	ND	0.005		mg/L	1	4/20/2006
Dibromochloromethane	ND	0.005		mg/L	1	4/20/2006
Chloroethane	ND	0.01		mg/L	1	4/20/2006
Chloroform	ND	0.005		mg/L	1	4/20/2006
Chloromethane	ND	0.01		mg/L	1	4/20/2006
1,1-Dichloroethane	0.036	0.005		mg/L	1	4/20/2006
1,2-Dichloroethane	ND	0.005		mg/L	1	4/20/2006
1,1-Dichloroethene	0.008	0.005		mg/L	1	4/20/2006
cis-1,2-Dichloroethene	0.014	0.005		mg/L	1	4/20/2006
trans-1,2-Dichloroethene	ND	0.005		mg/L	1	4/20/2006
1,2-Dichloropropane	ND	0.005		mg/L	1	4/20/2006
cis-1,3-Dichloropropene	ND	0.001		mg/L	1	4/20/2006
trans-1,3-Dichloropropene	ND	0.001		mg/L	1	4/20/2006
Ethylbenzene	ND	0.005		mg/L	1	4/20/2006
2-Hexanone	ND	0.01		mg/L	1	4/20/2006
4-Methyl-2-pentanone	ND	0.01		mg/L	1	4/20/2006
Methylene chloride	ND	0.005		mg/L	1	4/20/2006
Methyl tert-butyl ether	ND	0.005		mg/L	1	4/20/2006
Styrene	ND	0.005		mg/L	1	4/20/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/L	1	4/20/2006
Tetrachloroethene	0.084	0.005		mg/L	1	4/20/2006
Toluene	ND	0.005		mg/L	1	4/20/2006
1,1,1-Trichloroethane	0.32	0.05		mg/L	10	4/20/2006
1,1,2-Trichloroethane	ND	0.005		mg/L	1	4/20/2006
Trichloroethene	0.014	0.005		mg/L	1	4/20/2006
Vinyl chloride	ND	0.002		mg/L	1	4/20/2006
Xylenes, Total	ND	0.015		mg/L	1	4/20/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 24, 2006

Date Printed: April 24, 2006

Client: Weaver Boos
Lab Order: 06040381
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040381-006

Client Sample ID: WBF-8S 2-4'**Collection Date:** 4/14/2006 12:05:00 PM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/17/2006	Analyst: PS
Acetone	ND	0.048	mg/Kg-dry	1	4/22/2006
Benzene	ND	0.0048	mg/Kg-dry	1	4/22/2006
Bromodichloromethane	ND	0.0048	mg/Kg-dry	1	4/22/2006
Bromoform	ND	0.0048	mg/Kg-dry	1	4/22/2006
Bromomethane	ND	0.0096	mg/Kg-dry	1	4/22/2006
2-Butanone	ND	0.0096	mg/Kg-dry	1	4/22/2006
Carbon disulfide	ND	0.0048	mg/Kg-dry	1	4/22/2006
Carbon tetrachloride	ND	0.0048	mg/Kg-dry	1	4/22/2006
Chlorobenzene	ND	0.0048	mg/Kg-dry	1	4/22/2006
Dibromochloromethane	ND	0.0048	mg/Kg-dry	1	4/22/2006
Chloroethane	ND	0.0096	mg/Kg-dry	1	4/22/2006
Chloroform	ND	0.0048	mg/Kg-dry	1	4/22/2006
Chloromethane	ND	0.0096	mg/Kg-dry	1	4/22/2006
1,1-Dichloroethane	ND	0.0048	mg/Kg-dry	1	4/22/2006
1,2-Dichloroethane	ND	0.0048	mg/Kg-dry	1	4/22/2006
1,1-Dichloroethene	ND	0.0048	mg/Kg-dry	1	4/22/2006
cis-1,2-Dichloroethene	ND	0.0048	mg/Kg-dry	1	4/22/2006
trans-1,2-Dichloroethene	ND	0.0048	mg/Kg-dry	1	4/22/2006
1,2-Dichloropropane	ND	0.0048	mg/Kg-dry	1	4/22/2006
cis-1,3-Dichloropropene	ND	0.0048	mg/Kg-dry	1	4/22/2006
trans-1,3-Dichloropropene	ND	0.0048	mg/Kg-dry	1	4/22/2006
Ethylbenzene	ND	0.0048	mg/Kg-dry	1	4/22/2006
2-Hexanone	ND	0.0096	mg/Kg-dry	1	4/22/2006
4-Methyl-2-pentanone	ND	0.0096	mg/Kg-dry	1	4/22/2006
Methylene chloride	ND	0.0096	mg/Kg-dry	1	4/22/2006
Methyl tert-butyl ether	ND	0.0048	mg/Kg-dry	1	4/22/2006
Styrene	ND	0.0048	mg/Kg-dry	1	4/22/2006
1,1,2,2-Tetrachloroethane	ND	0.0048	mg/Kg-dry	1	4/22/2006
Tetrachloroethene	ND	0.0048	mg/Kg-dry	1	4/22/2006
Toluene	ND	0.0048	mg/Kg-dry	1	4/22/2006
1,1,1-Trichloroethane	0.088	0.0048	mg/Kg-dry	1	4/22/2006
1,1,2-Trichloroethane	ND	0.0048	mg/Kg-dry	1	4/22/2006
Trichloroethene	ND	0.0048	mg/Kg-dry	1	4/22/2006
Vinyl chloride	ND	0.0048	mg/Kg-dry	1	4/22/2006
Xylenes, Total	ND	0.014	mg/Kg-dry	1	4/22/2006

Percent Moisture	D2974		Prep Date: 4/18/2006	Analyst: RW
Percent Moisture	18.1	0.01	*	4/19/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 24, 2006

Date Printed: April 24, 2006

Client: Weaver Boos
Lab Order: 06040381
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040381-007

Client Sample ID: WBF-8S 18-20'**Collection Date:** 4/14/2006 12:10:00 PM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS	SW5035/8260B	Prep Date: 4/17/2006			Analyst: PS
Acetone	ND	0.046	mg/Kg-dry	1	4/22/2006
Benzene	ND	0.0046	mg/Kg-dry	1	4/22/2006
Bromodichloromethane	ND	0.0046	mg/Kg-dry	1	4/22/2006
Bromoform	ND	0.0046	mg/Kg-dry	1	4/22/2006
Bromomethane	ND	0.0091	mg/Kg-dry	1	4/22/2006
2-Butanone	ND	0.0091	mg/Kg-dry	1	4/22/2006
Carbon disulfide	ND	0.0046	mg/Kg-dry	1	4/22/2006
Carbon tetrachloride	ND	0.0046	mg/Kg-dry	1	4/22/2006
Chlorobenzene	ND	0.0046	mg/Kg-dry	1	4/22/2006
Dibromochloromethane	ND	0.0046	mg/Kg-dry	1	4/22/2006
Chloroethane	ND	0.0091	mg/Kg-dry	1	4/22/2006
Chloroform	ND	0.0046	mg/Kg-dry	1	4/22/2006
Chloromethane	ND	0.0091	mg/Kg-dry	1	4/22/2006
1,1-Dichloroethane	ND	0.0046	mg/Kg-dry	1	4/22/2006
1,2-Dichloroethane	ND	0.0046	mg/Kg-dry	1	4/22/2006
1,1-Dichloroethene	ND	0.0046	mg/Kg-dry	1	4/22/2006
cis-1,2-Dichloroethene	ND	0.0046	mg/Kg-dry	1	4/22/2006
trans-1,2-Dichloroethene	ND	0.0046	mg/Kg-dry	1	4/22/2006
1,2-Dichloropropane	ND	0.0046	mg/Kg-dry	1	4/22/2006
cis-1,3-Dichloropropene	ND	0.0046	mg/Kg-dry	1	4/22/2006
trans-1,3-Dichloropropene	ND	0.0046	mg/Kg-dry	1	4/22/2006
Ethylbenzene	ND	0.0046	mg/Kg-dry	1	4/22/2006
2-Hexanone	ND	0.0091	mg/Kg-dry	1	4/22/2006
4-Methyl-2-pentanone	ND	0.0091	mg/Kg-dry	1	4/22/2006
Methylene chloride	ND	0.0091	mg/Kg-dry	1	4/22/2006
Methyl tert-butyl ether	ND	0.0046	mg/Kg-dry	1	4/22/2006
Styrene	ND	0.0046	mg/Kg-dry	1	4/22/2006
1,1,2,2-Tetrachloroethane	ND	0.0046	mg/Kg-dry	1	4/22/2006
Tetrachloroethene	ND	0.0046	mg/Kg-dry	1	4/22/2006
Toluene	ND	0.0046	mg/Kg-dry	1	4/22/2006
1,1,1-Trichloroethane	ND	0.0046	mg/Kg-dry	1	4/22/2006
1,1,2-Trichloroethane	ND	0.0046	mg/Kg-dry	1	4/22/2006
Trichloroethene	ND	0.0046	mg/Kg-dry	1	4/22/2006
Vinyl chloride	ND	0.0046	mg/Kg-dry	1	4/22/2006
Xylenes, Total	ND	0.014	mg/Kg-dry	1	4/22/2006

Percent Moisture	D2974	Prep Date: 4/18/2006			Analyst: RW
Percent Moisture	14.7	0.01	*	wt%	1
					4/19/2006

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
HT - Sample received past holding time
* - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range
H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 24, 2006

Date Printed: April 24, 2006

Client: Weaver Boos
Lab Order: 06040381
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040381-008

Client Sample ID: WBF-9S 6-8'**Collection Date:** 4/14/2006 1:45:00 PM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
----------	--------	----	-----------	-------	----	---------------

Volatile Organic Compounds by GC/MS		SW5035/8260B		Prep Date: 4/17/2006	Analyst: PS
Acetone	ND	0.053	mg/Kg-dry	1	4/22/2006
Benzene	ND	0.0053	mg/Kg-dry	1	4/22/2006
Bromodichloromethane	ND	0.0053	mg/Kg-dry	1	4/22/2006
Bromoform	ND	0.0053	mg/Kg-dry	1	4/22/2006
Bromomethane	ND	0.011	mg/Kg-dry	1	4/22/2006
2-Butanone	ND	0.011	mg/Kg-dry	1	4/22/2006
Carbon disulfide	ND	0.0053	mg/Kg-dry	1	4/22/2006
Carbon tetrachloride	ND	0.0053	mg/Kg-dry	1	4/22/2006
Chlorobenzene	ND	0.0053	mg/Kg-dry	1	4/22/2006
Dibromochloromethane	ND	0.0053	mg/Kg-dry	1	4/22/2006
Chloroethane	ND	0.011	mg/Kg-dry	1	4/22/2006
Chloroform	ND	0.0053	mg/Kg-dry	1	4/22/2006
Chloromethane	ND	0.011	mg/Kg-dry	1	4/22/2006
1,1-Dichloroethane	ND	0.0053	mg/Kg-dry	1	4/22/2006
1,2-Dichloroethane	ND	0.0053	mg/Kg-dry	1	4/22/2006
1,1-Dichloroethene	ND	0.0053	mg/Kg-dry	1	4/22/2006
cis-1,2-Dichloroethene	ND	0.0053	mg/Kg-dry	1	4/22/2006
trans-1,2-Dichloroethene	ND	0.0053	mg/Kg-dry	1	4/22/2006
1,2-Dichloropropane	ND	0.0053	mg/Kg-dry	1	4/22/2006
cis-1,3-Dichloropropene	ND	0.0053	mg/Kg-dry	1	4/22/2006
trans-1,3-Dichloropropene	ND	0.0053	mg/Kg-dry	1	4/22/2006
Ethylbenzene	ND	0.0053	mg/Kg-dry	1	4/22/2006
2-Hexanone	ND	0.011	mg/Kg-dry	1	4/22/2006
4-Methyl-2-pentanone	ND	0.011	mg/Kg-dry	1	4/22/2006
Methylene chloride	ND	0.011	mg/Kg-dry	1	4/22/2006
Methyl tert-butyl ether	ND	0.0053	mg/Kg-dry	1	4/22/2006
Styrene	ND	0.0053	mg/Kg-dry	1	4/22/2006
1,1,2,2-Tetrachloroethane	ND	0.0053	mg/Kg-dry	1	4/22/2006
Tetrachloroethene	ND	0.0053	mg/Kg-dry	1	4/22/2006
Toluene	ND	0.0053	mg/Kg-dry	1	4/22/2006
1,1,1-Trichloroethane	ND	0.0053	mg/Kg-dry	1	4/22/2006
1,1,2-Trichloroethane	ND	0.0053	mg/Kg-dry	1	4/22/2006
Trichloroethene	ND	0.0053	mg/Kg-dry	1	4/22/2006
Vinyl chloride	ND	0.0053	mg/Kg-dry	1	4/22/2006
Xylenes, Total	ND	0.016	mg/Kg-dry	1	4/22/2006

Percent Moisture	D2974		Prep Date: 4/18/2006	Analyst: RW
Percent Moisture	18.8	0.01	*	4/19/2006

Qualifiers:
 ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 HT - Sample received past holding time
 * - Non-accredited parameter

RL - Reporting / Quantitation Limit for the analysis
 S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range
 H - Holding time exceeded

STAT Analysis Corporation

2255 West Harrison St., Suite B, Chicago, IL 60612-3505

Tel: (312) 733-0551 Fax: (312) 733-2386 STATinfo@STATAnalysis.com

Accreditation Numbers: IEPA ELAP 100445; ORELAP IL300001; AIHA 101160; NVLAP LabCode 101202-0

Date Reported: April 24, 2006

Date Printed: April 24, 2006

Client: Weaver Boos
Lab Order: 06040381
Project: 1894300-03, Fusibond, Downers Grove, IL
Lab ID: 06040381-009

Client Sample ID: WBF-9S 20-22'**Collection Date:** 4/14/2006 1:55:00 PM**Matrix:** Soil

Analyses	Result	RL	Qualifier	Units	DF	Date Analyzed
Volatile Organic Compounds by GC/MS						
		SW5035/8260B			Prep Date: 4/17/2006	Analyst: PS
Acetone	ND	0.05		mg/Kg-dry	1	4/22/2006
Benzene	ND	0.005		mg/Kg-dry	1	4/22/2006
Bromodichloromethane	ND	0.005		mg/Kg-dry	1	4/22/2006
Bromoform	ND	0.005		mg/Kg-dry	1	4/22/2006
Bromomethane	ND	0.01		mg/Kg-dry	1	4/22/2006
2-Butanone	ND	0.01		mg/Kg-dry	1	4/22/2006
Carbon disulfide	ND	0.005		mg/Kg-dry	1	4/22/2006
Carbon tetrachloride	ND	0.005		mg/Kg-dry	1	4/22/2006
Chlorobenzene	ND	0.005		mg/Kg-dry	1	4/22/2006
Dibromochloromethane	ND	0.005		mg/Kg-dry	1	4/22/2006
Chloroethane	ND	0.01		mg/Kg-dry	1	4/22/2006
Chloroform	ND	0.005		mg/Kg-dry	1	4/22/2006
Chloromethane	ND	0.01		mg/Kg-dry	1	4/22/2006
1,1-Dichloroethane	0.29	0.26		mg/Kg-dry	50	4/22/2006
1,2-Dichloroethane	ND	0.005		mg/Kg-dry	1	4/22/2006
1,1-Dichloroethene	0.0058	0.005		mg/Kg-dry	1	4/22/2006
cis-1,2-Dichloroethene	ND	0.005		mg/Kg-dry	1	4/22/2006
trans-1,2-Dichloroethene	ND	0.005		mg/Kg-dry	1	4/22/2006
1,2-Dichloropropane	ND	0.005		mg/Kg-dry	1	4/22/2006
cis-1,3-Dichloropropene	ND	0.005		mg/Kg-dry	1	4/22/2006
trans-1,3-Dichloropropene	ND	0.005		mg/Kg-dry	1	4/22/2006
Ethylbenzene	ND	0.005		mg/Kg-dry	1	4/22/2006
2-Hexanone	ND	0.01		mg/Kg-dry	1	4/22/2006
4-Methyl-2-pentanone	ND	0.01		mg/Kg-dry	1	4/22/2006
Methylene chloride	ND	0.01		mg/Kg-dry	1	4/22/2006
Methyl tert-butyl ether	ND	0.005		mg/Kg-dry	1	4/22/2006
Styrene	ND	0.005		mg/Kg-dry	1	4/22/2006
1,1,2,2-Tetrachloroethane	ND	0.005		mg/Kg-dry	1	4/22/2006
Tetrachloroethene	0.038	0.005		mg/Kg-dry	1	4/22/2006
Toluene	ND	0.005		mg/Kg-dry	1	4/22/2006
1,1,1-Trichloroethane	13	0.26		mg/Kg-dry	50	4/22/2006
1,1,2-Trichloroethane	ND	0.005		mg/Kg-dry	1	4/22/2006
Trichloroethene	0.31	0.26		mg/Kg-dry	50	4/22/2006
Vinyl chloride	ND	0.005		mg/Kg-dry	1	4/22/2006
Xylenes, Total	ND	0.015		mg/Kg-dry	1	4/22/2006
Percent Moisture		D2974			Prep Date: 4/18/2006	Analyst: RW
Percent Moisture	16.0	0.01	*	wt%	1	4/19/2006

ND - Not Detected at the Reporting Limit

RL - Reporting / Quantitation Limit for the analysis

Qualifiers: J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

R - RPD outside accepted recovery limits

HT - Sample received past holding time

E - Value above quantitation range

* - Non-accredited parameter

H - Holding time exceeded

CHAIN OF CUSTODY RECORD

Company: <u>WILAYER BOOS CONSULTANTS</u>		P.O. No.:		N #: 812802		Page : of	
Project Number: <u>1894380-03</u>	Client Tracking No.:	Quote No.:					
Project Name: <u>FUSIBOND</u>							
Project Location: <u>Downers Grove, IL</u>							
Sampler(s): <u>Seth Low</u>							
Report To: <u>CARL DANEZ</u>	Phone: <u>847-645-5241</u>						
	Fax: <u></u>						
QC Level: 1 2 3 4		e-mail: <u>adawes@verizon.com</u>					
Client Sample Number/Description:	Date Taken	Time Taken	Matrix	Preserv.	No. of Containers	Remarks	Lab No.:
WB#F - 4S 4-8'	4-14-96	0835	Soil	X	F 4		001
WB#F - 6S 14-16'	4-14-96	0845	Soil	X	F 4		002
WB#F - 7S 0-2'	4-14-96	1010	Soil	X	F 4		003
WB#F - 7S 24-26'	4-14-96	1020	Soil	X	F 4		004
WB#F - 7WS	4-14-96	1045	water	X	E 2		005
WB#F - 8S 2-4'	4-14-96	1205	Soil	X	F 4		006
WB#F - 8S 18-20'	4-14-96	1210	Soil	X	F 4		007
WB#F - 9S 6-8'	4-14-96	1345	Soil	X	F 4		008
WB#F - 9S 20-22'	4-14-96	1355	Soil	X	F 4		009
<i>7/16/96</i>							
Relinquished by: (Signature) <u>John H. Low</u>	Date/Time: <u>4-14-96 1515</u>	Comments: <u></u>					
Received by: (Signature) <u>J. H. Low</u>	Date/Time: <u>4-14-96 1515</u>						
Relinquished by: (Signature)	Date/Time:						
Received by: (Signature)	Date/Time:						
Relinquished by: (Signature)	Date/Time:						
Received by: (Signature)	Date/Time:						
Laboratory Work Order No.: <u>0040381</u>							
Preservation Code: A = None B = HNO ₃ C = NaOH							
D = H ₂ SO ₄ E = HCl F = 5035/EnCore G = Other							
Temperature: <u>3 °C</u>							
<i>Turn Around:</i>							
<i>Results Needed</i>							
<i>am/pm</i>							

STAT Analysis Corporation

Sample Receipt Checklist

Client Name **WEAVER BOOS**

Date and Time Received:

4/14/2006

Work Order Number **06040381**

Received by: **JC**

Checklist completed by:

Jesus C
Signature

4/14/06
Date

Reviewed by:

C
Initials

4/24/06
Date

Matrix:

Carrier name **Client Delivered**

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on shipping container/cooler?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Custody seals intact on sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels/containers?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Container or Temp Blank temperature in compliance?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Temperature 3 °C
Water - VOA vials have zero headspace?	No VOA vials submitted	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
Water - Samples pH checked?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Checked by:
Water - Samples properly preserved?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	pH Adjusted?

Any No response must be detailed in the comments section below.

Comments: *Headspace was present in sample WBF-7WS
(1 and 2 of 2).*

Client / Person contacted:

Date contacted:

Contacted by:

Response: